

Coleman

Products Catalog

For Dealers

HOME APPLIANCES for

LIGHTING

Gasoline Pressure Lamps, Gasoline and Kerosene Pressure Lanterns, Kerosene Wick-Type Lamps, Bottled Gas Lighting Fixtures.

COOKING

Camp, Cabin and Trailer Stoves, Summer Cook Stoves, Handy Gas Plants, Burners, Fuel Tanks.

HEATING

Gasoline Radiant Heaters, Oil "Radiant Circulator" Heaters, Water Heaters.

IRONING

Gasoline and Electric Irons, Cord Sets.

ACCESSORIES

Filtering Funnels, Mantles, Generators, Shades, Globes, Chimneys and Supplies.

The Coleman Lamp and Stove Company

ATLANTA, GEORGIA

OUR POLICY

The Coleman Lamp and Stove Company holds firmly to this two-fold policy:

1. For Users—Dependable merchandise, backed by an unqualified pledge of satisfactory service.
2. For Dealers—Standard Quality Products which they can sell at a fair price with a fair profit to themselves.

This policy has resulted in widespread consumer preference and good turnover with a certain profit margin for dealers. That's why thousands of Coleman distributors concentrate on Coleman Products. The Coleman Company believes in the dealer method of distribution. So, to give dealers every assistance in promoting their sales of Coleman Products, we conform to the following Fair Trade Practices:

1. Sales Cooperation. We employ every legitimate means to help our dealers promote the sale of Coleman merchandise by supplying retail sales helps, giving advertising cooperation and lending the assistance of our salesmen. We invite your requests for any help we can give.

2. Advertising Support. Coleman Products are consistently advertised the whole year 'round. The name "Coleman" has a national advertising background of more than a quarter of a century. This widespread advertising has built up unusual consumer acceptance and good will for Coleman Products. As a result, Coleman Products are easier for dealers to sell. They have a rapid turnover with a bigger sales volume and better profits.

3. Fair Market Prices: The Coleman Lamp and Stove Company maintains suggested fair market prices on all Coleman-made appliances together with liberal trade policies as its basis of square dealing. All prices subject to change without notice and, if necessary because of legislation, also subject to Sales Tax adjustments.

4. Dealer Discounts: Prices quoted on the products pages are suggested retail prices, from which dealers are given a good profit-producing discount. See dealer price schedule at the back.

5. 50c Minimum on Dealer Orders: Due to the cost of handling dealer orders in amounts less than 50c we have adopted the following policy:

On dealer orders received at any Coleman Factory or Branch House, for less than 50c we will add sufficient No. 21A Mantles at 5c each to bring the order up to the 50c minimum.

6. Guarantee: All Coleman Products are guaranteed as to material and workmanship. We cheerfully adjust or replace free of charge any Coleman product or part that proves defective when returned to factory or factory branch, charges prepaid. No adjustments are made for damaged merchandise where it is evident the damage is the result of misuse. This guarantee does not cover porcelain enameled parts.

7. Crating and Shipping: No charge for boxing and packing except for export shipments which require special additional cases.

8. Claims: When transportation companies accept our shipments for safe delivery they assume full responsibility. We take a receipt for all shipments delivered in good condition to the transportation companies. After that our responsibility ceases. In case of shortage or damage, secure a "bad order" or "shortage" notation on your expense bill which will form the basis of your claim against the

carrier. In case Consignee has trouble in making collection on claim, our traffic department will be glad to render any assistance possible.

9. Goods Returned for Credit: No goods should be returned for credit without first obtaining permission and shipping instructions. It is understood that when goods are returned for credit, transportation charges must be prepaid unless otherwise arranged.

10. Repair and Service Department: For your convenience and to insure the proper servicing of Coleman Products, we maintain at each of our branch houses a complete Repair and Service Department. When sending in Coleman Products for repairs, be sure to pack well, mark plainly showing your name and address on the package, prepay transportation charges and write us about it at the same time sending your letter regular mail. We will then be able to give you prompt service on repairs or adjustments.

11. Quantity Assortment Orders: Quantity assortment orders of Coleman Appliances in this catalog can be placed through your jobbing representative or the Coleman Representative. Such assortment orders carry an extra discount and freight allowance. Shipments are made direct from Wichita, Kansas, or Branch Houses at our option to elect the most economical shipping point.

12 Fair Trade Prices: We believe that fair price maintenance is a necessary fundamental to the success of our business and is also necessary to make the line of Coleman Products attractive to dealers.

Therefore, in pursuance of this policy, we have elected to operate our business on this principle and have entered into price maintenance contracts with dealers in all states having "Fair Trade" laws, and on all of the products illustrated in this catalog, except Handy Gas Plants and Lighting Fixtures where an installation problem is involved. We earnestly desire and solicit the co-operation of all dealers handling Coleman Products to make effective the benefits of these laws and give the plan a fair and sufficient trial.

13: Coleman Houses:

Main Factory and General Offices

SECOND AND ST. FRANCIS ST., WICHITA, KANSAS

U. S. Sales Branches

PHILADELPHIA, PA., 401 NORTH BROAD ST.

CHICAGO, ILL., 589 EAST ILLINOIS

LOS ANGELES, CALIF., 332 E. THIRD ST.

PORTLAND, OREGON, 322 N. W. TENTH AVE.

HONOLULU, HAWAII, 29 SOUTH KING ST.

Canadian Factory and Offices


TORONTO, CANADA, CORNER QUEEN and DAVIES STS.

How the Coleman "Step-Up" Plan Increases Dealers' Sales and Profits

For Example, let's apply the "Step-Up" Plan
to the sale of a Coleman Lantern:

"Step-Up" to No. 228B


A Large Heavy-duty Model



Retail Price \$7.95
Your Cost 5.30
Your Profit 2.65
165% more than
243A

"Step-Up" to No. 242B


Our Most Popular Model



Retail Price \$5.95
Your Cost 4.15
Your Profit 1.80
80% more than
243A

Sell Away From No. 243A

It's Only a \$3.95 Price Leader



Retail Price \$3.95
Your Cost 2.95
Your Profit 1.00

EXTRA FEATURES

1. Steel Burner
2. Lacquer Finish
3. Mica Globe
4. Instant Lighting
5. Single Mantle

EXTRA FEATURES

1. Brass Fuel Fount
2. Nickel Finish
3. Pyrex Glass Globe
4. Instant Lighting
5. Single Mantle
6. Rust-Proof Construction
7. Better Appearance

1. Brass Fuel Fount
2. Nickel Finish
3. Pyrex Glass Globe
4. Instant Lighting
5. Twin Mantles
6. Rust-proof Construction
7. Reflector Top
8. 3-pint Fuel Capacity
9. Less Frequent Fillings
10. Super-Power Light
11. Longer Service

1. Coleman National Advertising, Plus your own tie-up featuring the \$3.95 Price Leaders, brings the customers in.
2. Show all Models, and explain their features, but stress the better service given by the better models.
3. When you sell the Better Models — you give your customer greater values, multiply his satisfaction and increase your own profits.

*Now See How the "Step-Up" Plan Increases
Profits on Other Coleman Items (Over)*

Use the \$3.95 Price Leaders Only

1. To meet Price Competition.
2. To Sell Away From — To "Step-Up" the sale to a better quality, higher priced, more profitable item.

Here's how the "Step-Up" Plan increases your profits on Coleman Lamps, Lanterns, Irons:

LAMPS—No. 134A is the Price Leader, Retail Price \$3.95
 Your Cost 2.95
 Your Profit 1.00

"Step-Up" the Sale to	Retail Price	Your Cost	Your Profit	Gross Profit Increase Over Price Leader
No. 143	\$5.95	\$4.15	\$1.80	80%
No. 132A	8.95	5.95	3.00	200%

LANTERNS—No. 243A is the Price Leader, Retail Price \$3.95
 Your Cost 2.95
 Your Profit 1.00

"Step-Up" the Sale to	Retail Price	Your Cost	Your Profit	Gross Profit Increase Over Price Leader
No. 242B	\$5.95	\$4.15	\$1.80	80%
No. L427	6.95	4.70	2.25	125%
No. 220B	7.45	5.10	2.35	135%
No. 228B	7.95	5.30	2.65	165%

IRONS—No. 8A is the Price Leader, Retail Price \$3.95
 Your Cost 2.95
 Your Profit 1.00


"Step-Up" the Sale to	Retail Price	Your Cost	Your Profit	Gross Profit Increase Over Price Leader
No. 4A	\$5.95	\$3.90	*\$2.05	105%
No. 609	6.95	4.50	* 2.45	145%

*Dealer's Profit is based on a quantity purchase of six or more irons on which dealer gets an extra 5% discount.

Coleman GASOLINE PRESSURE Mantle Lamps

High Candle Power of "Live" Air Pressure Light. Clear, steady-shining brilliance that protects the sight; enough for every need about the home. Nearest like natural daylight of any artificial light.

Low Cost Operation. Make and burn their own gas from any good grade of clean gasoline. Burn approximately 4% gas to 96% air. Only an air pressure type lamp gives so much light for so little cost.



Long-Service Generators have more carbon space, fewer changes, more economical.

Safe. Fuel founts strongly made of brass and steel...unbreakable...can't be filled while lighted...can't spill fuel if tipped over.

Genuine Pyrex Glass Globes... an exclusive Coleman feature... protect mantles.

MODEL No. 132A

Instant Lighting

Two Mantles--High Candle Power of clear, steady, white light that protects the sight.

Pyrex Glass Globe protects mantles.

Shade--Fluted and decorated design, with silk cord attached. Diameter at bottom 15 inches. Height 8 1/2 inches.

T44G Generator fitted with gas tip cleaning needle operated by built-in rotary lever. Long lasting--reduces operating cost.


Fuel Fount finished in ivory with gold trim--capacity 3 pints--enough for 15 to 18 hours service. Built-in pump.

Listed by Underwriters' Laboratories, file G479.

Over-all height of Lamp, 19 1/2 inches.

One Lamp packed in carton, complete with Shade, inner Pyrex globe, and two Coleman double-strength, Silk-Lite mantles. Shipping weight 10 pounds.

Retail Price **\$8.95**



MODEL No. 143

Instant Lighting

Two Mantles--High candle power of clear, steady, pure-white air pressure light that protects the sight.

Pyrex Glass Globe--protects mantles.

Shade--Fluted and decorated design with silk cord attached. Bottom diameter 13 inches; height 8 1/2 inches.


T44G Generator--Fitted with gas tip cleaning needle. Oversize, more carbon space. Long lasting--reduces operating cost.

Fuel Fount--Finished in ivory with gold trim--capacity 2 pints enough for 10 to 12 hours service. Separate pump.

Over-all height of lamp 19 1/2 inches.

One lamp packed in carton complete with Shade, Pyrex Globe, Pump and two double-strength Coleman Silk-Lite Mantles. Shipping weight 7 1/2 pounds.

Retail Price **\$5.95**



MODEL No. 134A

Match Lighting

Two Mantles--High Candle Power of clear, steady, white light that protects the sight.

Mica Globe protects mantles.

Shade--Fluted design in colors. Diameter at bottom 13 inches, height 7 inches.

T44G Generator--fitted with gas tip cleaning needle. Over-size, more carbon space. Long lasting, reduces operating cost.


Fuel Fount finished in ivory; capacity 2 pints--enough for 10 to 12 hours service. Separate pump. Over-all height, 19 inches.

One Lamp packed in carton complete with Parchment Shade, Mica Globe, Pump and two double-strength Coleman Silk-Lite Mantles. Shipping weight 7 pounds.

Retail Price **\$3.95**

SHADES AND GLOBES

Shades for these new models of Coleman Lamps are of an unusually high quality. They are in assorted colors decorated to harmonize with the beautiful two-tone finishes of the lamps . . . give a soft, eye-comforting glow to the radiance of the Coleman Lamp.



SHADE No. 132SD

No. 132SD Shade for No. 132A Lamp, 15 inches in diameter.


Retail Price, each . . **\$1.20**

No. 143SD Shade for No. 143 Lamp, 13 inches in diameter.

Retail Price, each . . **\$1.00**

No. 134SD Shade for No. 134A Lamp, 13 inches in diameter.

Retail Price, each . . **75c**



GLOBE No. 355

No. 355 Pyrex Glass Globe for use on all new Model Coleman Lamps; protects mantles from damage by flying insects. These Genuine Pyrex Glass Globes are used exclusively on Coleman Lamps.


Retail Price, each **90c**

Coleman

GASOLINE
MANTLE


Lamp Repair Parts

Parts for Nos. 134A, 134P and 134G Lamps




Parts No.	NAME OF PARTS	Retail Price
T44G	Generator and Cleaning Needle (Less Jamb Nut) (Gas Tip Marked "V")	\$0.45
351	Mica Mantle Protector	.75
355	Pyrex Glass Mantle Protector	.90
134SD	Fluted Shade, in colors	.75
101-620	Valve Stem Packing	.03
104-132	Filler Plug Air Stem	.18
104-326	Mixing Chamber	.48
104-441	Ball Nut	.18
112-323	Burner Cap and Screens	.15
112-325	Burner Cap Screen	.03
118A304	Eccentric Block	.06
118B136	Filler Plug Gasket	.03
118B147	Handle Lock Nut	.09
118B218	Gas Tip (Marked "V")	.06
118B322	Air Intake Tube	.36
118B324	Burner Tube	.18
129-335	Globe Holder Clamps (Packed)	.30
129-353	Tip Cleaner Stem Complete	.15
129A307	Valve Body	.60
129A353	Valve Stem Complete	.30
129A357	Valve Complete	1.20
130-341	Shade Screw	.12
134-145	Handle	.30
134-165	Fount Complete	3.00
134-399	Burner Complete	2.70
216-509	Pump Leather	.06
375-164	Filler Plug Complete	.60
410-585	Pump	.45
605-210	Jamb Nut	.03

Parts for No. 132A Lamp




Parts No.	NAME OF PARTS	Retail Price
T44G	Generator and Cleaning Needle (Less Jamb Nut) (Gas Tip Marked "V")	\$0.45
132A	Fluted Glasstex Shade	1.20
355	Pyrex Glass Mantle Protector	.90
104-326	Mixing Chamber	.48
112-323	Burner Cap and Screens	.15
112-325	Burner Cap Screen	.03
118A304	Eccentric Block	.06
118B136	Filler Plug Gasket	.03
118B218	Gas Tip (Marked "V")	.06
118B322	Air Intake Tube	.36
118B324	Burner Tube	.18
118B620	Valve Stem Packing	.03
129-335	Globe Holder Clamps (Packed)	.30
129-341	Finale	.36
129-342	Finale Nut	.12
129-343	Shade Support Rod	.09
129-353	Tip Cleaner Stem Complete	.15
129-361	Finale Fittings Assembly	.60
132-138	Fuel Tip Needle and Head	.09
132-146	Fuel and Air Wire (Fuel Tip Marked "S")	.30
132-147	Handle Lock Nut	.09
132-148	Fuel and Air Wire (With Fuel Tip and Fuel Needle) (Fuel Tip Marked "S")	.60
132-520	Pump Plunger Complete (Less Air Stem)	.60
132-653	Valve Stem Complete	.45
132A145	Handle	.36
132A165	Fount Complete	6.00
132A354	Valve Body	.75
132A357	Fuel Valve Complete (Fuel Tip Marked "S")	1.50
132A399	Burner Complete	3.00
150-344	Shade Support Rod Nut	.03
216-509	Pump Leather	.06
216-532	Air Stem	.18
216-538	Check Valve	.18
220B140	Filler Plug Complete	.48
605-210	Jamb Nut	.03

Parts for No. 143 Lamp



Parts No.	NAME OF PARTS	Retail Price
T44G	Generator and Cleaning Needle (Less Jamb Nut) (Gas Tip Marked "V")	\$0.45
143	Fluted Glasstex Shade	1.00
355	Pyrex Glass Mantle Protector	.90
104-132	Filler Plug Air Stem	.18
104-326	Mixing Chamber	.48
112-323	Burner Cap and Screens	.15
112-325	Burner Cap Screen	.03
118A304	Eccentric Block	.06
118B136	Filler Plug Gasket	.03
118B218	Gas Tip (Marked "V")	.06
118B322	Air Intake Tube	.36
118B324	Burner Tube	.18
118B620	Valve Stem Packing	.03
129-335	Shade Holder Clamps (Packed)	.30
129-341	Finale	.36
129-342	Finale Nut	.12
129-343	Shade Support Rod	.09
129-353	Tip Cleaner Stem Complete	.15
129-361	Final Fittings Assembly (Includes 129-341, 129-342, 129-343, 150-344)	.60
132-138	Fuel Tip Needle and Head	.09
132-146	Fuel and Air Wire (Fuel Tip Marked "S")	.30
132-147	Handle Lock Nut	.09
132-148	Fuel and Air Wire (With Fuel Tip and Fuel Needle) (Fuel Tip Marked "S")	.60
132-653	Valve Stem Complete	.45
132A354	Valve Body	.75
132A357	Fuel Valve Complete (Fuel Tip Marked "S")	1.50
132A399	Burner Complete	3.00
143-145	Handle	.45
143-165	Fount Complete	3.60
150-344	Shade Support Rod Nut	.03
216-509	Pump Leather	.06
375-164	Filler Plug Complete	.60
410-585	Pump	.45
605-210	Jamb Nut	.03

Coleman Silk-Lite Mantles



New Grade "A," high quality mantle—made of especially treated Rayon fibre—Triple lock weave. Exceptionally sturdy, greater flexibility, last longer, gives more and better light—the most economical mantle to use.
Retail Price each..... 9c
½ Dozen..... .45 Dozen..... .90


No. T44G Long Service Generator



This new, high efficiency generator has large carbon space which accommodates a wider range of fuels. Longer lasting, more economical to use, gives better and more dependable lighting service. Has cleaning needle which is operated by a rotary-lever. Keeps gas tip clean. Tip cleaning needle can be operated even while lamp is in use.
Retail Price each..... .45

Coleman KER-O-LITE Lamp

Kerosene Wick-Type
(Non-pressure)
Model No. 160
(Less Shade)



Fuel is any good
commercial grade
of fresh
clean kerosene

A New High Quality Kerosene Mantle Lamp, made by Coleman, the world's leading manufacturer of portable home lamps.

New Type Mantle---Woven from a special prepared high grade mantle thread. The only mantle made with the new double-lock, triangular braced weave which gives strength, sturdiness and long life. Correct in size, shape and weave to produce a fine soft white eye-saving light.

"Tight-Lock" Mantle Holder---Can't fall off. Made of heat-resisting stainless steel, highly resistant to rust and corrosion.

Strong, Sturdy Burner---Made of heavy gauge brass, strongly braced to last indefinitely. Has bright satin nickel finish.

"Snap-on" Chimney---Made of crystal-clear heat-resisting glass; 14 inches high. It is correct in size, shape and height to develop proper draft for maximum candle power. Base is grooved so that it snaps into holder firmly; cannot topple off.

New Long-Life Wick---The material used is especially selected and carefully inspected for its absorption power to carry a sufficient supply of fuel to the burner. Special chemical treatment insures long life. Easy to replace.

One-Piece Base---Crystal glass base moulded into one solid, complete piece; not jointed. Its attractive ivory finish is fused onto the glass. Finish is sufficiently transparent to easily determine amount of fuel in bowl. Fuel capacity one quart; one filling gives from 9 to 12 hours fine lighting service.

Decorated Parchment Shade---The latest type, extra-heavy, non-oiled, attractively colored. Size: 14 inches in diameter, 9 inches high.

No. 160 Ker-O-Lite (less shade and tripod), over-all height 25 inches, is packed three to a shipping carton. Shipping weight, 20 pounds.

Retail Price, each \$5.75

Retail Price, complete with Shade and Tripod, each \$7.50

No. 160SD Shade. Retail Price, ea. \$1.50

No. 160T Tripod. Retail Price, ea. .25


No. 160SD Shade with No. 160T Tripod are packed three assorted shades and three tripods to a carton. Shipping weight, 4 pounds.

A SUGGESTED STARTING ORDER

3 Ker-O-Lite Lamps Complete, Including	(3 No. 160 Lamps less Shades and Tripods 3 No. 160S Shades Assorted 3 No. 160T Tripods)
3 No. 160-371S Wicks	(Extra)
3 No. 160-161 Chimneys	(Extra)
25 No. 159 Mantles with Holders	(Extra)
25 No. 139 Mantles less Holders	(Extra)

If the above order is doubled, or sufficient other Coleman small appliances included to make a \$50.00 order, your jobber will ship direct from Coleman Factory or nearest Coleman Branch House and allow an extra 5% plus actual freight not to exceed \$3.00 per cwt.

Coleman Ker-O-Lite Lamp Repair Parts




**COLEMAN KER-O-LITE LAMP
MODEL No. 160**

Ker-O-Lite Lamp Parts List

Order By Number	Name of Part	Net Retail Price
139	Mantle (Only)	\$.25
159	Mantle and Holder	.35
160-161	Chimney	.35
160-165S	Glass Fount	2.25
160-317	Flame Spreader	.15
160-322	Wick Trimmer	.15
160-368S	Burner Base (Less Wick)	3.75
160-371S	Wick Complete	.35
160-373	Gallery	.75
160-375	Burner complete (with Wick)	4.50

"Repair Parts Prices Subject to
Change Without Notice."



No. 139 Mantles less Holders

Packed in individual boxes, five to an attractive 3-color counter carton, as illustrated above; 25 mantles to standard shipping carton. Shipping weight 2 lbs.




Retail Price, each.....25¢

No. 159 Mantles with Holders

Packed in individual boxes, 25 mantles to standard shipping carton. Shipping weight 2 lbs.

Retail Price, each.....35¢



Coleman GASOLINE PRESSURE *Mantle* Lanterns

SUPPLY THE LIGHT FOR EVERY OUTDOOR NEED AT NIGHT

High Candle Power---Clear, steady-shining, dark-chasing brilliance for any lighting job at night. Not affected by wind, rain or storm.


Low Cost Operation---Make and burn their own

gas from any good grade of clean gasoline free of anti-knock compounds. Burn approximately 4% gas to 96% air. Give more than 40 hours of dependable lighting service per gallon of fuel.

Oversize Generators---have more carbon space, last longer, fewer changes, more economical. Regular equipment.

Genuine Pyrex Glass Globes---an exclusive Coleman feature. Regular equipment as specified.

Safe---durably made of brass and steel---can't be filled while lighted, can't spill fuel even if tipped over.



Model No. 220B

Lights Instantly

A fine, big, powerful lantern that is always ready for every outdoor need, regardless of weather.

Two Mantles---High Candle Power Air Pressure Light.

T44G Generator---Oversize, gives longer service with fewer changes.

Pyrex Glass Globe protects mantles.

Ventilator Top---Green porcelain enamel, 6 3/4 inch diameter.

Fount---Nickel plated, two pint fuel capacity, enough for 12 to 15 hours lighting service, 6-inch diameter; built-in pump, hand operated filler plug.

Over-all Height 14 1/2 inches.


One in carton complete with two Coleman double-strength, Silk-Lite mantles and wrenches. Shipping weight, 6 pounds.

Retail Price - - - \$7.45

Model No. L427

Match Generating

This model Lantern for years has set the standard of quality in construction and dependable lighting service.



Two Mantles---High Candle Power Air Pressure Light.

R55 Generator---Jumbo Rotary type. Special inside construction retards carbon formation.

Mica Chimney protects mantles.


Ventilator Top---Green porcelain enamel, 5 1/4 inches diameter.

Fount---Nickel plated, two pints fuel capacity enough for 12 to 15 hours lighting service, 6-inch diameter; built-in pump, hand operated filler plug.

Over-all Height 14 inches.

One in carton complete with two Coleman double-strength, Silk-Lite mantles, and wrench. Shipping weight, 5 pounds.

Retail Price - - - \$6.95



Model No. 242B

Lights Instantly

Single Mantle---Produces up to 175 candle power light.

T66 Generator---Oversize, gives long and dependable service.

Pyrex Glass Globe---bulge type, protects mantle.

Ventilator Top---Green porcelain enamel, 5 1/2 inches diameter.

Brass Fount---Nickel plated, capacity, 1 1/2 pints, enough for 7 to 9 hours lighting service, 5-inch diameter; built-in pump, hand operated filler plug.

Over-all Height 12 1/2 inches.

One in carton complete with one Coleman Silk-Lite mantle. Shipping weight, 4 lbs.

Retail Price - - - \$5.95

Model No. 243A

Lights Instantly

Single Mantle---Produces up to 175 candle power light.

T66 Generator---Oversize, gives long and economical service.

Mica Globe mantle protector.



Ventilator Top---Blue porcelain enamel, 5-inch diameter.

Steel Fount---Blue lacquer enamel finish. Capacity 1 1/2 pints, enough for 7 to 9 hours service; 5-inch diameter; built-in pump, hand operated filler plug.

Over-all Height 11 1/2 inches.

One in carton complete with chimney, one Coleman Silk-Lite mantle. Shipping weight, 3 1/2 pounds.

Retail Price - - - \$3.95



Model No. 228B

Lights Instantly

This is the same Lantern as No. 220B but has larger Ventilator Top.

Two Mantles---High Candle Power Air Pressure Light.

T44G Generator---Oversize, gives longer service with fewer changes.

Pyrex Glass Globe protects mantles.

Ventilator Top---Green porcelain enamel, 8 3/4 inch diameter. Under-side white enameled to throw light downward.

Fount---Nickel plated, two pint fuel capacity, enough for 12 to 15 hours lighting service, 6-inch diameter; built-in pump, hand operated filler plug.


Over-all Height 14 1/2 inches.

One in carton complete with two Coleman double-strength, Silk-Lite mantles and wrenches. Shipping weight, 6 1/2 pounds.

Retail Price - - - \$7.95

Handy Wall Hanger and Shield for Coleman Lanterns

Portable---slots in iron bar fit over nail or screw heads, easily lifts off---may be used anywhere




For use with Coleman Lanterns in barns, dairies, poultry houses, garages, etc. Model L427 Lantern equipped with shield and hanger is listed by Underwriters' Laboratories, File G521---the only gasoline lantern given such a listing. Porcelain enameled shield is durably made of heavy gauge metal, 11 inches in diameter and two inches high. Furnished with iron channel insulator and bracket strap. Shipping weight, 3 1/2 pounds.

No. 204-480---Shield and Hanger complete.

Retail Price - - - \$1.95

Coleman GASOLINE MANTLE Lantern Repair Parts



No. 220B


¶228B 498—Frame and Bail.....	\$.90
605 - 210—Jamb Nut.....	.03
605 - 950—Wrench.....	.15

Nos. 220B and 228B, Instant-Lite Lanterns

Parts No.	NAME OF PART	Retail Price
T44G	Generator and Gas Tip Cleaning Needle (Less Jamb Nut) (Gas Tip Marked "V")	\$.45
330	Pyrex Glass Globe	1.00
104 - 326	Mixing Chamber	.48
112 - 323	Burner Cap and Screens	.15
118B 118	Fuel Tip (Marked "AB")	.06
118B 136	Filler Plug Gasket	.03
118B 138	Fuel Tip Cleaning Needle	.15
118B 148	Fuel and Air Wire Complete (Fuel Tip Marked "AB")	.75
118B 218	Gas Tip (Marked "V")	.06
118B 322	Air Intake Tube	.36
118B 324	Burner Tube	.18
118B 620	Valve Stem Packing	.03
203 - 441	Ventilator Ball Nut	.09
216 - 509	Pump Leather	.06
216 - 520	Pump Plunger Complete (Less Air Stem)	.60
216 - 532	Air Stem	.18
216 - 538	Check Valve	.18
220B 140	Filler Plug Complete	.48
220B 165	Fount Complete	4.50
220B 304	Eccentric Block	.06
220B 328	Air Intake Tube Extension	.09
220B 340	Ventilator Rod	.09
220B 353	Tip Cleaner Stem (Packed)	.30
220B 357	Gas Tip Cleaner Complete, Assembled	.75
220B 423	Bail	.15
220B 429	Globe Base Rest	.18
*220B 485	Ventilator (Porcelain—6¾ inch Base)	1.50
*220B 498	Frame and Bail	.90
220B 653	Valve Stem Complete	.60
220B 657	Fuel Valve Complete	1.80
220B 950	Wrench (Small)	.15
¶227 - 480	Ventilator (Porcelain—8¾ inch Base)	1.95

*For Lantern Model No. 220B.

¶For Lantern Model No. 228B.




No. L427, Quick-Lite Lantern

No. L427, Quick-Lite Lantern


Parts No.	NAME OF PART	Retail Price
327	Mica Chimney	\$.65
101 - 324	Burner Tube	.18
104 - 218	Gas Tip (Marked "Q")	.06
104 - 322	Air Intake Tube	.36
104 - 326	Mixing Chamber	.48
112 - 323	Burner Cap and Screens	.15
115 - 136	Filler Plug Gasket	.03
203 - 340	Ventilator Rod	.09
203 - 441	Ventilator Ball Nut	.09
203 - 489	Globe Base Rest	.15
203 - 498	Frame and Bail	.90
203 - 653	Valve Stem Complete	.30
204 - 399	Burner Generator and Valve Complete Assm.	2.70
204 - 485	Ventilator (Porcelain—5¼ inch Base)	1.50
204 - 657	Fuel Valve Complete	.75
216 - 165	Fount Complete	4.20
216 - 509	Pump Leather	.06
216 - 520	Pump Plunger Complete (Less Air Stem)	.60
216 - 532	Air Stem	.18
216 - 538	Check Valve	.18
220B 140	Filler Plug Complete	.48
605 - 950	Wrench	.15
627 - 590	Suction Pump Complete	1.35

No. 243A, Instant-Lighting Lantern



Parts No.	NAME OF PART	Retail Price
T66	Generator (Gas Tip Marked "6")	\$.45
440	Mica Globe	.50
216 - 509	Pump Leather	.06
242 - 140	Filler Plug Complete	.30
242 - 218	Gas Tip (Marked "6")	.06
242 - 323	Burner Cap and Screen	.30
242 - 324	Burner Tube	.15
242 - 353	Tip Cleaner Stem Complete	.15
242 - 603	Frame to Valve Connection Stud	.06
242 - 620	Valve Stem Packing	.03
242 - 653	Valve Stem Complete	.30
242A 148	Fuel and Air Wire Complete (Fuel Tip Marked "L")	.36
242A 423	Bail	.18
242A 657	Valve Complete	1.80
242B 520	Pump Plunger Complete (Less Air Stem)	.45
242B 532	Air Stem	.18
242B 538	Check Valve	.18
243 - 338	Ventilator Pin	.06
243 - 370	Burner Complete	1.50
243 - 484	Ventilator	.75
243A 165	Fount Complete	2.40
243A 489	Globe Base Rest	.18
603 - 136	Filler Plug Gasket	.03
603 - 456	Hexagon Brass Nut (¼"-18)	.03
605 - 210	Jamb Nut	.03

Nos. 242A and 242B Instant-Lite Lanterns



No. 242B

T66	Generator (Gas Tip Marked "6")	\$.45
550	Pyrex Glass Globe	.75
¶216 - 509	Pump Leather	.06
*223 - 538	Pump Check Valve	.30
242 - 140	Filler Plug Complete	.30

Parts No.	NAME OF PART	Retail Price
*242 - 165	Fount Complete	\$3.00
242 - 218	Gas Tip (Marked "6")	.06
242 - 304	Tip Cleaner Eccentric Block	.06
242 - 323	Burner Cap and Screen	.30
242 - 324	Burner Tube	.15
242 - 353	Tip Cleaner Stem Complete	.15
242 - 441	Ventilator Ball Nut	.06
*242 - 518	Pump Leather Assembly	.15
*242 - 520	Pump Plunger Complete	.45
242 - 603	Frame to Valve Connecting Stud	.06
242 - 620	Valve Stem Packing	.03
242 - 653	Valve Stem Complete	.30
242A 148	Fuel and Air Wire Complete (Fuel Tip Marked "L")	.36
242A 370	Frame and Burner Complete	1.50
242A 423	Bail	.18
242A 440	Ventilator Rod	.09
*242A 489	Globe Base Rest	.15
242A 657	Fuel Valve Complete	1.80
¶242B 165	Fount Complete	3.75
¶242B 520	Pump Plunger Complete (Less Air Stem)	.45
¶242B 532	Pump Air Stem	.18
¶242B 538	Pump Check Valve	.18
242K 484	Ventilator	.75
242B 489	Globe Base Rest	.15
603 - 136	Filler Plug Gasket	.03
603 - 456	Hexagon Brass Nut (¼"-18)	.03
605 - 210	Jamb Nut	.03

*For No. 242A.

¶For No. 242B.

Coleman KEROSENE MANTLE Lanterns

"The Lights of a Thousand Uses"

- Produce a Clear "Live" Pressure Light of Super Candle Power.
- Just the Light for Any Night—in Any Kind of Weather.
- Genuine Pyrex Glass Globes, an Exclusive Feature.
- Wind-Proof—Rain-Proof—Insect-Proof.
- Burn 96% Air and Only 4% Kerosene.
- Sturdily Built for Long, Dependable Service —


Model No. 235 —Here is the new high candlepower Coleman Kerosene Mantle Lantern, a worthy companion to the famous Coleman Gasoline Lanterns. This big, new 2-mantle model burns only 4% Kerosene and 96% air. It produces a clear "live" pressure brilliance—plenty of light for any job, any night, in any kind of weather.

Has T44K Generator for better and longer lighting service. Rotary lever operates generator tip cleaning needle. Genuine Pyrex glass globe an exclusive feature; protects mantle; makes lantern insect-proof, wind-proof, rain-proof. Hand-operated Filler Plug and built-in Pump. Fount is finished in green lacquer; holds 2 pints of fuel, enough for 10 to 12 hours lighting service. Gasoline may also be used as fuel if desired. Ventilator Top of green porcelain enamel finish is 6¾-in. in diameter. Overall height of lantern, 14¼-in.


Packed one in carton, complete with Pyrex Globe, two Coleman Silk-Lite Mantles, wrench and filling can. Shipping weight, 6 pounds.

U. S. Retail Price.....

\$5.95



Model No. 235



Model No. 234

Model No. 234 —The handiest and best small lantern on the market! Burns kerosene; one-mantle type, produces a clear, high candlepower of brilliant "live" pressure light. If desired, gasoline may also be used as fuel. A popular lantern for sportsmen—for hunting, fishing, touring, camping, etc. Also a fine light for general use on farms, around docks, warehouses, packing sheds, etc. Has T66 Generator. Rotary lever operates gas tip cleaning needle.

The globe is of genuine Pyrex heat-resisting glass—protects mantle against insects, wind, rain, and snow. Fount, finished in green lacquer, holds 1½ pints of fuel. Ventilator Top, 5½-in. in diameter, is finished in green porcelain enamel. Over-all height of lantern, 12½-in.

Packed one in carton, complete with Globe, one Coleman Silk-Lite Mantle with triple-lock weave and filling can. Shipping weight, 5 pounds.


U. S. Retail Price.....

\$4.95

Burn Kerosene or Gasoline Fuel

Coleman Kerosene Lantern Repair Parts

MODEL No. 234



Order by Number	Name of Part	Net Retail Price
T66	Generator (Gas Tip Marked "6")	\$.45
550	Pyrex Glass Globe (Bulged Type)	.75
216-509	Pump Leather	.06
234-165	Fount Complete	3.00
234-485	Ventilator	.75
234-489	Globe Base Rest	.18
234-657	Valve Complete	1.50
235-310	Preheater Cup	.15
242-140	Filler Plug Complete	.30
242-218	Gas Tip (Marked "6")	.06
242-304	Eccentric Block	.06
242-323	Burner Cap and Screen	.30
242-324	Burner Tube	.15
242-353	Tip Cleaner Stem Complete	.15
242-441	Ventilator Ball Nut	.06
242-603	Frame to Valve Connection Stud	.06
242-620	Valve Stem Packing	.03
242-653	Valve Stem Complete	.30
242A370	Frame and Burner Complete	1.50
242A423	Bail	.18
242A440	Ventilator Rod	.09
242B520	Pump Plunger Complete (Less Air Stem)	.45
242B532	Air Stem	.18
242B538	Check Valve	.18
242K311	Spring Clip	.09
242K910	Filling Can Complete	.30
603-136	Filler Plug Gasket	.03
603-456	Hexagon Brass Nut (1/4".18)	.03
605-210	Jamb Nut	.03
605-950	Wrench	.15



Coleman Filter Funnel


Removes dirt, water and other impurities from fuel. Solid copper; non-corrosive. Equipped with a fine brass wire strainer and special filtering fabric.

No. 0, diameter 2 1/4 inches, for lamps, lanterns, camp stoves and irons.

Shipping weight, each 5 ounces; shipping weight, half dozen, 1 pound.

Retail Price, Each **50c**

MODEL No. 235



Order by Number	Name of Part	Net Retail Price
T44K	Generator & Cleaning Needle (Less Jamb Nut) (Gas Tip Marked "V")	\$.45
330	Pyrex Glass Globe	1.00
101-620	Valve Stem Packing	.03
104-326	Mixing Chamber	.48
112-323	Burner Cap & Screens	.15
112-325	Burner Cap Screen	.03
118A304	Eccentric Block	.06
118B136	Filler Plug Gasket	.03
118B218	Gas Tip (Marked "V")	.06
118B324	Burner Tube	.18
129-365	Air Intake Tube	.45
216-509	Pump Leather	.06
216-520	Pump Plunger Complete (Less Air Stem)	.60
216-532	Air Stem	.18
216-538	Check Valve	.18
220B328	Air Intake Tube Extension	.09
220B340	Ventilator Rod	.09
220B353	Tip Cleaner Stem Packed	.30
220B498	Frame & Bail	.90
220B950	Wrench	.15
223-910	Filling Can Complete	.30
235-165	Fount Complete	4.20
235-310	Preheater Cup	.15
235-311	Spring Clip	.06
235-485	Ventilator	1.50
235-489	Globe Base Rest	.18
235-653	Valve Stem Complete	.30
235-657	Fuel Valve Complete	.75
479-140	Filler Plug Complete	.48
605-950	Wrench	.15

PYREX GLASS GLOBES

An Exclusive Coleman Feature




No. 330—Pyrex heat-resisting, clear glass globe. For use on Gasoline Lanterns Nos. 220B and 228B and Kerosene Lantern No. 235. Height, 5 1/4". Diameter, 4 3/4". Packed 1 in a carton, shipping weight, 1 pound. Packed 6 in a carton, shipping weight, 5 1/4 pounds.

Retail Price **\$1.00**

No. 550—Pyrex Brand Globe, (Bulge Type). Same quality as No. 330. For use on Gasoline Lanterns Nos. 242, 242A, 242B and Kerosene Lantern No. 234. Height, 4 3/4". Diameter at top and bottom, 3 1/2". Packed 1 in a carton, shipping weight, 14 ounces. Packed 6 in a carton, shipping weight, 3 pounds.

Retail Price **\$0.75**



Coleman RAYON MANTLES

No. 21A SILK-LITE MANTLES

TRIPLE LOCK STITCH — HEAVY DUTY

Denitrated To Give Longer Life



The heavy duty Coleman SILK-LITE Mantle sets the high Quality Standard in the mantle manufacturing industry. Actual scientific tests prove that this Coleman Silk-Lite Mantle lasts two to four times longer than ordinary mantles and produces as much as twice the light. It gives the longest, best and lowest cost service.


Here are its more important special features which make it the most economical mantle to use on gasoline pressure lamps and lanterns:

No. 21A Junior Silk-Lite Mantles are packed in gross size counter display cartons printed in orange and green.

1. Made of Highest Quality Rayon Fibre.
2. New Triple Lock Weave gives greater strength so each mantle lasts longer.
3. Best Grade of Chemicals in Correct Proportions produce maximum light; give greater strength.
4. Correct Size so ALL combustion takes place inside of mantle to produce the most light.

5. Correct Shape so all of mantle area comes in contact with flame to produce greatest incandescence.
6. Correct Mesh of Weave permits sufficient air for perfect combustion inside mantle for greater lighting efficiency.

U. S. Retail Price—Each.....9c
U. S. Retail Price—Per ½ Dozen.....45c
U. S. Retail Price—Per Dozen.....90c




No. 31 RAYTEX MANTLES

Denitrated To Give Longer Life



The Raytex Junior Mantle is a good quality mantle made of rayon fibre. Has durable construction; strong single weave of proper mesh, cross sewed across bottom, correct in size and shape. While No. 31 Raytex is not equal to other Coleman high quality mantles it will stand a higher test than some mantles sold in competition with Coleman No. 21A Silk-Lite. It must necessarily be sold at a shorter profit so it is recommended that distributors offer it, but point out to purchasers the advantages of using high-grade Coleman Mantles.

No. 31 RAYTEX Mantles come packed in gross size counter display containers printed in black and orange.



U. S. Retail Price—Each.....5c
Per ½ Dozen.....30c
Per Dozen.....60c

Why COLEMAN MANTLES ARE BETTER

1. Scientifically correct in size, shape and weave to produce full brilliance.
2. Reinforced across bottoms where pressure is strongest.
3. No side seams to split or reduce brilliance.
4. Saturated with highest quality, light-giving chemicals.
5. Denitrated, moisture-proof—will not deteriorate.
6. Uniform quality insures full candlepower light.


IT PAYS TO SELL HIGH GRADE MANTLES

It is a wise policy to sell High Grade Coleman Mantles, because:

1. They are more profitable. The best grade mantles retailing ½ dozen for 45c, carry a margin that is impossible in a cheaper mantle.
2. They give the longest, best and lowest cost service; make satisfied customers—bring repeat business.

ACCESSORIES AND SUPPLIES FOR Coleman Lamps and Lanterns

COLEMAN LAMP AND LANTERN GENERATORS



No. R55

Nos. R55, T66, T44G & T44K
Accommodate More Different
Grades of Fuel, Require Fewer
Generator Changes, Insure
Greater Economy



No. T44G
No. T44K

No. R55—Rotary Jumbo-size Generator insures long and dependable lighting service. Lasts 3 to 5 times longer than ordinary generators. Built-in rotary lever operates tip cleaning needle. Fits Coleman Match-Generating Lamps and Lanterns and Instant-Lite Lamps Nos. 117, 118, 119, 132P, and Instant-Lite Lanterns Nos. 220 and 228.


U. S. Retail Price, each..... 50c

No. T44G—New Over-Size Generator—gives longer service under same fuel and operating conditions than any other lamp or lantern generator ever manufactured. Equipped with gas tip cleaning needle operated by a rotary lever which is built in the burner. Fits Coleman Lamps Nos. 117A, 118A, 119A, 133, 134P, 134G, 132A, 143, 150B, 150G, 150I, 150R and Instant-Lite Lanterns Nos. 220B and 228B.

U. S. Retail Price, each..... 45c

No. T44K—Has same general construction as Generator No. T44G except made for Kerosene Lamps Model Nos. 129, 129G, 150BK, 150GK, 150IK and 150RK, and Kerosene Lantern No. 235.


U. S. Retail Price, each..... 45c



No. Q99

No. Q99 Coil Generator is standard equipment on all models of Match-Generating Lamps and Lanterns except Nos. 130G, 130P, 131P, 134P, 134G, 150B, 150G, 150I and 150R. Has a high efficiency, stays hot, does not carbonize in any one spot.

U. S. Retail Price, each..... 35c



No. Q77

No. Q77 Straight Generator. Standard equipment for Instant-Lite Lamps Nos. 117, 118, 119, and Lanterns 220 and 228. Can also be used on all Match-Generating Lamps and Lanterns except Nos. 150B, 150G, 150I, 150R, 134P and 134G. A high quality, popular priced generator especially useful where low-grade fuels make frequent replacement necessary.

U. S. Retail Price, each..... 25c




No. T66

No. T66 Roto-Cleaning Generator of genuine Coleman quality and service for use only on Nos. 242, 242A, 242B, 243 and 243A Coleman Instant-Lite Lanterns and Kerosene Lantern No. 234. Has automatic cleaning needle operated by a rotary lever. Same "long-life" design as No. T44G and T44K.


U. S. Retail Price, each..... 45c

MICA GLOBES




No. 327—A 13-piece mica globe for use on Coleman Lanterns. 5 3/4 in. high by 4 1/4 in. diameter.

U. S. Retail Price, each 65c



No. 440 — Mica Globe for use on Coleman Lanterns Nos. 242, 242A, 242B, 243, 243A and 234. 3 1/2 in. in diam., 4 1/4 in. high.

U. S. Retail Price, each 50c



No. 351 — Mica Mantle Protector. Mica globe mantle protector for use on Lamps Nos. 130P, 131P, 132P, 150B, 150G, 150I, 150R, 150BK, 150GK, 150IK, 150RK.

U. S. Retail Price, each 75c

PYREX GLASS GLOBES



No. 355 — For use on Lamps Nos. 129, 129G, 132A, 133, 134P, 143, 134G and Compressed Gas Fixtures Nos. 857, 857A, 858 and 859. 5 3/4 in. diameter.

U. S. Retail Price, each 90c



No. 550 — Bulge type, Pyrex glass globe, for use only on Coleman Lanterns Nos. 242, 242A, 242B, 243A, 234. 3 1/2 in. end diameter by 4 1/4 in. high.

U. S. Retail Price, each 75c



No. 330 — Made of genuine heat-resisting Pyrex. For use on Coleman Lanterns Nos. 220B, 228B and 235. 4 7/8 in. in diameter by 5 1/4 in. high.

U. S. Retail Price, each \$1.00

FILTERING FUNNELS



Sizes:
No. 0—2 1/2 inch diameter.
No. 1 — 5 inch diameter.

Removes dirt, water and other impurities from fuel used in pressure gas lamps, lanterns, stoves, heaters, etc. Solid Copper, non-corrosive.

Equipped with a fine brass-wire strainer and special filtering fabric.

U. S. Retail Prices:

No. 0 for Lamps and Lanterns, each..... 48c

No. 1 for Heaters and Stoves, each..... \$1.20


Extra Pads for No. 0, each 15c

Extra Pads for No. 1, each 36c

SUCTION PUMP

No. 627-590. The Coleman Suction Pump (shown at right). Removes dirty fuel from founts of lamps and lanterns, without built-in pumps, and from one gallon tanks on Stoves and Heaters.

U. S. Retail Price, each..... \$1.35



No. 199-910

FOUNT CLEANING TUBE

No. 199-910. Cleans dirty fuel from founts of lamps and lanterns with built-in pumps. Fits readily in filler-opening when plug is removed. A few strokes of pump then ejects dirty fuel and sediment.


U. S. Retail Price, each..... 15c



No. 627-590

Coleman

FOLDING CAMP STOVES



MODEL No. 415C—A complete miniature deluxe range that will do any kind of cooking wherever you go: bake, roast, boil, fry, toast, broil.


FOLDING BUILT-IN OVEN: Can also be used as food warming cabinet, or as drum heater for tent or cabin. Size 18x10 $\frac{1}{2}$ x10 $\frac{1}{2}$ inches. Folds into lid.

TWO BURNERS: Instant Lighting — made of cast iron. Each 3 $\frac{1}{2}$ inches in diameter; 10 inches between burner centers. Large windshields; heavy steel wire hinged grate.

REMOVABLE FUEL TANK: Made of rust-proof Solodur. Capacity 2 $\frac{1}{2}$ pints. Built-in pump, hand-operated filler plug. **FINISH:** Body and strap steel legs in forest green baked enamel; oven, black enamel; tank in bronze lacquer.


SIZE FOLDED: 18 $\frac{1}{2}$ x12 $\frac{1}{2}$ x5 inches. Shipping weight, 23 lbs.

Retail Price, each.....\$9.95



MODEL No. 415C—Same size and specifications as No. 416C less built-in oven. Shipping weight, 14 $\frac{1}{2}$ lbs.

Retail Price, each.....\$6.95



MODEL No. 413B—Three burner stove with lots of cooking capacity — big enough to use three large cooking utensils at one time.

THREE BURNERS: Instant Lighting — made of cast iron. Each 3 $\frac{1}{2}$ inches in diameter; 9 inches between burner centers. Large windshields; heavy steel wire hinged grate.

REMOVABLE FUEL TANK: Made of rust-proof Solodur; capacity 3 $\frac{1}{2}$ pints. Built-in pump, hand-operated filler plug. **FINISH:** Body and strap steel legs in forest green baked enamel; tank, bronze lacquer.

SIZE FOLDED: 28 $\frac{1}{2}$ x13 $\frac{1}{2}$ x6 inches. Shipping weight, 29 lbs.

Retail Price, each.....\$12.90



No. 4103 CAMP STOVE
on No. 10 High Stand

MODEL No. 4103—A big stove, popular with fishermen; will accommodate two 12-inch trout pans. Sturdy, dependable; just the stove for any outing.

TWO BURNERS: Instant Lighting — made of cast iron. Each 3 $\frac{1}{2}$ inches in diameter; 12 inches between burner centers. Large windshields; heavy steel wire hinged grate.

REMOVABLE FUEL TANK: Made of rust-proof Solodur Metal, holds 3 $\frac{1}{2}$ pints. Built-in pump; hand-operated filler plug. **FINISH:** Body and strap steel legs in forest green baked enamel. Tank has bronze lacquer finish.

SIZE FOLDED: 22 $\frac{1}{2}$ x13 $\frac{1}{2}$ x5 $\frac{1}{2}$ inches. Shipping weight, 22 lbs.

Retail Price (Less Stand) each.....\$9.95

No. 10 FOLDING HIGH STAND



Fits all Coleman Models and practically all other camp stoves. Should be sold with every camp stove. All steel construction. Folds to size 21 $\frac{1}{2}$ x26 $\frac{1}{2}$ inches. When set up joints lock automatically, making a rigid stand of proper cooking height. Finished in attractive forest green enamel. Packed one in carton. Shipping weight, 8 pounds.

Retail Price, each.....\$1.95

MODEL No. 4173—A dandy little picnic stove. Small in size, compact, low in price. Fine for picnics, short outings and for use about the house.


TWO BURNERS: Instant Lighting; Each 3 inches in diameter; 9 inches between burner centers. Large windshields; heavy steel wire grate.

REMOVABLE TANK: Made of heavy gauge steel, hot tin dipped to make it rust resisting. Two pint capacity. Built-in pump, hand-operated filler plug.

FINISH: Body and steel wire legs in olive green; tank, black enamel.


SIZE FOLDED: 17 $\frac{1}{2}$ x12x4 $\frac{1}{2}$ inches. Shipping weight, 14 lbs.

Retail Price, each.....\$4.95




Coleman

FOLDING CAMP STOVES




PARTS LIST FOR NOS. 415C and 416C

Part No.	NAME OF PART	Net Retail Price
118B136	Filler Plug Gasket	\$0.03
216-509	Pump Leather	.06
216-532	Air Stem	.18
216-620	Packing	.03
220B140	Filler Plug Complete	.03
242B538	Check Valve	.48
316-317	Gasket	.03
412-207	Valve Body	.60
412-218	Gas Tip (Marked "AK")	.12
412-219	Generator Filler Coil	.09
412-240	Generator Tube & Bushing	.60
412-251	Cleaner Rod and Needle	.24
412-253	Valve Stem (Less Cleaning Needle)	.36
412-262	Complete Set of Generator Renewal Parts including Tube, Gas Tip, Bushing, Coil, Needle and Holder (Gas Tip Marked "AK")	.90
412-507	Tip Cleaner Stem Complete	.15
412-507	Pump Cap Clip	.03
412-640	Eccentric Block & Needle	.60
412-646	Fuel & Air Tube with Fuel Tip (Marked "O")	.24
412-655	Instant Lighting Valve Complete (Less Generator & Valve Stem)	1.05
412-660	Valve and Generator Assembly Complete	1.95
415C355	Auxiliary Valve Complete	.60
416-322	Burner Mixing Chamber	.45
415C520	Pump Plunger Complete	.60
416A301	Burner Cap Cover	.09
416A321	Spacer (2 per Burner)	.09
416A326	Burner Manifold (Casting Only)	Each .09
416B165	Tank Complete (with fittings) (Less Valve & Generator)	3.00
551-308	Drain Plug	.09




PARTS LIST FOR NO. 417B

Part No.	NAME OF PART	Net Retail Price
118B136	Filler Plug Gasket	\$0.03
216-509	Pump Leather	.06
216-532	Air Stem	.18
216-620	Packing	.03
220B140	Filler Plug Complete	.03
242B538	Check Valve	.48
412-218	Gas Tip (Marked "AK")	.12
412-219	Generator Filler Coil	.09
412-240	Generator Tube & Bushing	.60
412-251	Cleaner Rod and Needle	.24
412-253	Valve Stem (Less Cleaning Needle)	.36
412-262	Complete Set of Generator Renewal Parts including Tube, Gas Tip, Bushing, Coil, Needle and Holder (Gas Tip Marked "AK")	.90
412-322S	Burner Mixing Chamber	.45
412-326	Burner Manifold (Casting Only)	.90
412-353	Tip Cleaner Stem Complete	.15
412-365	Burner Cap Complete	.30
412-640	Eccentric Block and Needle	.60
412-646	Fuel & Air Tube with Fuel Tip (Marked "O")	.24
412-655	Instant Lighting Valve Complete (Less Generator and Valve Stem)	1.05
412-660	Valve & Generator Assembly Complete	1.95
417B165	Tank Complete (with fittings) Less Valve & Generator	2.70
417B355	Auxiliary Valve Complete	.45
415C520	Pump Plunger Complete (Less Air Stem)	.60
551-308	Drain Plug	.09



PARTS LIST FOR NO. 413B

Part No.	NAME OF PART	Net Retail Price
118B136	Filler Plug Gasket	\$0.03
216-509	Pump Leather	.06
216-538	Check Valve	.18
220B140	Filler Plug Complete	.03
242-620	Valve Stem Packing	.48
316-317	Gasket	.03
401-218	Gas Tip (Marked "B")	.12
412-353	Tip Cleaner Stem Complete	.15
413-207	Valve Body	.60
413-219	Generator Filler Coil	.09
413-240	Generator Tube & Bushing	.60
413-262	Generator Complete (Gas Tip Marked "B")	.90
413-322	Burner Mixing Chamber	.54
413-357	Auxiliary Valve Complete	.60
415C520	Pump Plunger Complete (Less Air Stem)	.60
413-532	Pump Air Stem	.18
413-640	Eccentric Block and Fuel Needle	.09
413-646	Fuel and Air Tube with Fuel Tip (Marked "AD")	.45
413-653	Valve Stem Complete (Less Needle and Holder)	.60
413-655	Valve Complete (Less Generator and Valve Stem)	1.20
413A326	Burner Manifold (Casting Only)	1.50
413B165	Tank Complete (With Fitting) (Less Valve and Generator)	3.60
416A301	Burner Cap Cover	.09
416A321	Spacer (2 per Burner)	.09
471-238	Cleaning Needle and Holder	.06
551-308	Drain Plug	.09



PARTS LIST FOR NO. 418B

Part No.	NAME OF PART	Net Retail Price
118B136	Filler Plug Gasket	\$0.03
216-509	Pump Leather	.06
216-532	Air Stem	.18
216-620	Packing	.03
220B140	Filler Plug Complete	.03
242B538	Check Valve	.48
316-317	Gasket	.03
387-640	Eccentric Block and Fuel Needle	.09
387-646	Fuel and Air Tube with Fuel Tip (Marked "AD")	.45
387-660	Valve and Generator Assembly	2.25
401-218	Gas Tip (Marked "B")	.12
407-649	Valve Wheel	.15
412-353	Tip Cleaner Stem Complete	.15
413-207	Valve Body	.60
413-219	Generator Filler Coil	.09
413-240	Generator Tube & Bushing	.60
413-262	Complete Set of Generator Renewal Parts, Including Tube, Gas Tip, Bushing, Coil, Needle and Holder (Gas Tip Marked "B")	.90
413-322	Burner Mixing Chamber	.54
413-357	Auxiliary Valve Complete	.60
415C520	Pump Plunger Complete (Less Air Stem)	.60
416A301	Burner Cap Cover	.09
416A321	Spacer (2 per Burner)	.09
418-326	Burner (Casting Only)	Each .09
418B165	Tank Complete with Fittings (Less Valve and Generator)	1.50
471-238	Cleaning Needle and Holder	3.60
479-217	Needle Protector	.09

FOR PARTS LIST ON OLDER STOVES CONSULT PARTS CATALOG NO. 26.

Coleman

SPEED-MASTER TABLE STOVE


The ONE-BURNER STOVE of a Hundred Uses



FOR GENERAL HOUSEHOLD USE—heating water for urgent needs: warming baby's milk; making tea, coffee, toast and candy; warming food; making soups, and many other household needs where a small amount of quick, dependable heat is needed.




IN CAMPS AND COTTAGES—always take along a Speedmaster — there are miscellaneous light cooking needs for which you want quick heat around the camp. Compact and sturdy — easy to carry — wind-proof.



FOR DOCTORS, DENTISTS, HOSPITALS—Gives quick, clean, portable heat for office, laboratory use and out on calls to sterilize instruments, heat water. Boils one pint of water in 2¼ minutes.



LUNCH COUNTERS, RESTAURANTS, hot dog stands, fair booths, carnivals, circuses and concessions. The ideal emergency stove when other fuels fail.



Model No. 500 Speed-Master Table Stove

Another New Coleman Product leads the way to new profits for dealers. Thousands already in actual use! Its **LOW PRICE, MANY USES, AND SPEEDY, ECONOMIC OPERATION** create lots of sales opportunities. The **ONLY** portable one-burner stove with all these features!

- **LIGHTS INSTANTLY**—Strike a match and light the burner instantly! No priming, no pre-heating. It makes its OWN gas. Burns 96% air.
 - **REGULATES INSTANTLY**—Any degree of heat you want — from the lowest simmer to almost a blow torch intensity. It's HOT!
 - **WIND-PROOF, QUIET, ODORLESS BURNER** — Same Band-A-Blu Type as on big Coleman ranges.
 - **SAFE**—Has all the well-known Coleman safeguards. Can't be filled while lighted; can't spill fuel if tipped over. Fuel fount tested three to five times normal operating pressure. Does not have to set level.
 - **SPEEDY**—Boils a pint of water in 2¼ minutes. Produces more than 7500 B.T.U.'s per hour.
 - **MANY "BIG STOVE" FEATURES**—large, long-lasting generator which is easily cleaned and replaced; automatic tip-cleaning needle; built-in pump, positive shut-off valve.
 - **BRASS FUEL FOUNT**—heavily nickel plated, rust-resisting. Capacity 2 pints.
- Overall size: Height, 7 inches; width 10½ inches.
Shipping weight: 5¼ lbs.



Model No. 500—Retail Price. **\$5.95**

Coleman

SPEED-MASTER TABLE STOVE


Repair Parts List

MODEL No. 500




Opens Vast, New Market

There's a need around every farm and in every home for this utility stove. Dealers demonstrating it are sure of fast, easy sales.



FOR GALLEY USE ON BOATS, TRAILERS, BUSES—
A fine little quick-cooking stove; also fine for keeping trucks warm in cold weather.



MECHANICS, GARAGEMEN, FARMERS— This is a stove of a hundred uses, fine for heating soldering irons, melting babbitt and many other needs wherever you want fast, quick heat.

DUCK HUNTERS— Use it to warm duck blinds, and make coffee.

BEEKEEPERS— To render Wax and heat steam decappers.


CANDY FACTORIES— For melting chocolate and sugar.

DAIRIES— For heating milk wagons and trucks to prevent loss by frozen milk; and many other uses.


Part No.	Name of Part	Retail Price
500-289	Generator Tube, Needle, Coil & Gas Tip Assembled ("BX")	\$.60
17-59	No. 4-36 x 1/4" R.H. Screw	.03
17-58	No. 4x36 x 1/4" Brass M.S. (U.S.A.)	.03
117-435	No. 8-32 x 1/4" R.H. Screw	.03
216-508	Leather Support Washer	.03
216-509	Pump Leather	.06
216-513	Spacer Sleeve	.03
216-620	Packing for Generator Stem	.03
242-131	Filler Plug Cap	.21
242-133	Filler Plug Disc	.18
242-140	Filler Plug Complete	.30
242-330	Packing for Lighting Lever	.03
242B-504	Pump Cup	.09
242B-517	Pump Rod and Handle	.18
242B-520	Pump Plunger Complete (Less air stem)	.45
242B-532	Air Stem	.18
242B-538	Check Valve	.18
305-443	3/8" x No. 10-24 T.H. Screw	.03
314-458	8-32 Nuts for Grate Posts	.03
401-511	Cushion Spring	.03
409-503	Hexagon Nut	.03
409-510	Pump Washer	.03
412-640	Eccentric Bloc and Needle	.09
412-646	Instant-Lite Fuel Tube Complete	.24
472-426	1/2" x No. 10-24 T.H. Screw	.03
500-147	Lock Nut	.06
500-159	Fount (Less pump and filler plug)	3.60
500-210	Generator Jamb Nut	.06
500-212	Generator Tube	.36
500-218	Gas Tip (marked "BX")	.12
500-219	Generator Filler Coil	.09
500-251	Generator Regulating Needle	.18
500-253	Generator Valve Stem complete	.30
500-254	Generator Valve Body	.30
500-312	Burner Cap	.09
500-319	Frame Base Plate	.36
500-326	Burner Casting	.90
500-327	Air Baffle	.09
500-353	Lighting Stem Complete	.15
500-357	Valve Body and Fuel Tube	.90
500-365	Burner Rings (set of 6)	.30
500-367	Burner Manifold Complete	1.50
500-429	Base Rest (Collar)	.60
500-435	Grate Complete (with nuts)	.60
500-452	1-3/8" x No. 10-24 R.H. Screw	.03
500-657	Fuel Valve Body Complete	1.50
603-136	Filler Plug Gasket 1/8" Shake-Proof Washers	.03

Coleman

CABIN AND TRAILER RANGES



MODEL No. 397



MODEL No. 396LC

Why These Ranges Give Modern Gas Cooking Service Anywhere:

- Make and burn their own gas from any good grade of clean, untreated gasoline.
- Easily changed to burn bottled gas.
- Heat may be regulated instantly to any cooking degree desired.
- Light instantly like gas—cook like gas.

BURNERS: One giant, two standard, Band-A-Blu Type. Cast iron construction stainless steel burner rings. Equipped with automatic safety drain.

LARGE COOKING TOP: 23 $\frac{5}{8}$ inches wide and 18 inches deep. Cast iron grates.

FUEL TANK: See description below.

NEW TYPE OVEN: See description below.

SAFETY-LOCK OVEN RACKS: Made of aluminized heavy steel wire. Automatically lock in channels and may be pulled out full length to serve as handy shelf for baking and cooking utensils.

FINISH: High heat-resisting ivory baked enamel. Grates black baked enamel. Chromium plate trim.

MODEL No. 397—This range has all the gas cooking and operating convenience features listed above. In addition it has back rail and stand, which make it an excellent small-size range for home use, for summer kitchens, cottages, cabins, kitchenettes, or any place where a dependable range that gives real gas cooking service is desired.

DIMENSIONS: Overall 23 $\frac{5}{8}$ inches wide by 18 inches deep by 38 inches high. Shipping weight, 130 lbs.


Retail Price.....\$53.85

MODEL No. 396LC designed especially for trailer use—styled to meet trailer specifications. Also fine for boat galleys. It is distinctive in design, attractive in appearance. Has all the features listed above which make it an unusually fine, modern range that provides real gas cooking.

DIMENSIONS: Overall: 23 $\frac{5}{8}$ inches wide; 18 inches deep by 21 inches high. Shipping weight, 113 lbs.

Retail Price.....\$51.00


No. 396-490 Burner Cover furnished as an accessory. Easily installed. Retail Price.....\$1.95



FUEL TANK REMOVABLE for easy, convenient outside filling — a big safety feature. 3-quart capacity. Made of rust-resisting Everdur Metal. Seams electrically welded. Equipped with hand-operated filler plug and built-in pump.


NEW TYPE OVEN

Insulated with spun glass, standard oven lining. Zephyr type heat indicator on oven door. Size 12x14x15 in. Accommodates large baking and roasting pans.




Coleman CABIN AND TRAILER STOVES


- GIVE REAL GAS COOKING SERVICE
- MAKE AND BURN THEIR OWN GAS from gasoline.




MODEL No. 370B



MODEL No. 391



MODEL No. 392



MODEL No. 395

- INSTANT HEAT REGULATION for any kind of cooking
- MEETS TRAILER SPECIFICATIONS; may be equipped with automatic safety drain; clips hold grates and tank in place.
- FINE UNIVERSAL COOKING UNITS for camps, cabins, lunch stands, boat galleys, laundries, summer kitchens, cottages, as auxiliary cook stoves in homes.
- All Models with Built-in Pumps

MODEL No. 370B

BURNERS: Two standard, Band-A-Blu Type, cast iron construction.

COOKING TOP: 18 $\frac{3}{4}$ by 11 inches in size; steel wire grates.

FUEL TANK: Removable for outside filling; made of steel, hot tin dipped to make it rust-resisting, 2-pint capacity.

FINISH: Grates and top finished in black baked enamel and body in Ivory baked enamel.

DIMENSIONS: Frame size: 18 $\frac{3}{4}$ inches long; 11 inches deep; 7 $\frac{1}{2}$ inches high. Overall size with Tank: 19 $\frac{1}{4}$ inches long; 14 $\frac{1}{2}$ inches deep; 7 $\frac{1}{4}$ inches high. Shipping weight, 16 pounds.

Retail Price.....\$7.95

MODEL No. 391

BURNERS: Two standard, Band-A-Blu Type; made of heavy cast iron; can't burn out.

COOKING TOP: 19 $\frac{1}{4}$ inches by 12 $\frac{1}{2}$ inches in size; steel wire grates.

FUEL TANK: Made of rust-resisting Solodur, 4-pint capacity.

FINISH: Hinged top and grates finished in black baked enamel and body in Ivory baked enamel.

DIMENSIONS: Frame size: 19 $\frac{1}{4}$ inches long; 12 $\frac{1}{2}$ inches deep; 7 $\frac{1}{4}$ inches high. Overall size with Tank: 19 $\frac{1}{4}$ inches long; 15 inches deep; 7 $\frac{1}{4}$ inches high. Shipping weight, 17 pounds.

Retail Price.....\$9.90

MODEL No. 392

BURNERS: Two standard Band-A-Blu Type, cast iron construction.

COOKING TOP: 23 inches by 13 inches; cast iron grates.

FUEL TANK: Made of rust-resisting Solodur, 5-pint capacity.

FINISH: Hinged top is Ivory porcelain enamel with black porcelain grates; body in Ivory baked enamel.

DIMENSIONS: Frame size: 23 inches long; 13 inches deep; 7 $\frac{1}{2}$ inches high. Overall size with Tank: 23 inches long; 16 $\frac{1}{2}$ inches deep; 7 $\frac{1}{2}$ inches high. Shipping weight, 23 $\frac{1}{2}$ pounds.

Retail Price.....\$13.95

MODEL No. 395

BURNERS: One giant and two standard, cast iron construction, with stainless steel burner rings. Band-A-Blu Type.

COOKING TOP: 23 $\frac{3}{4}$ x17 inches in size. Plenty of space for full size meals. Cast iron grates.

FINISH: Body finished in Ivory baked enamel; hinged top in black baked enamel.

FUEL TANK: Made of rust and corrosion resisting Solodur metal; packs inside stove cabinet; 5-pint capacity.

DIMENSIONS: Frame size: 23 $\frac{3}{4}$ inches long; 17 inches deep; 7 $\frac{1}{2}$ inches high. Overall Dimensions with Tank: 23 $\frac{3}{4}$ inches long; 20 $\frac{1}{2}$ inches deep; 7 $\frac{1}{2}$ inches high. Shipping weight: 30 pounds.

Retail Price.....\$16.50

Fuel Tank Easily Removed




for Outside Filling!
Made of Rust Resisting Metal.
Pump, built-in.

Band-A-Blu Type Burners



Light Instantly,
Powerful Heat.
Easily
Regulated!

HINGED TOP




Permits Easy
Inside
Cleaning!
(on all models except 370B).

Coleman Cabin Stoves

**INSTANT LIGHTING — COOK LIKE CITY GAS
GENUINE BAND-A-BLU BURNERS**

- **FUEL TANKS MADE OF EVERDUR METAL**, which contains 90% copper, has the strength of steel; won't rust or corrode. All Seams Electrically welded. Last a Life-time. The biggest safety feature ever put on a liquid fuel stove.
- **TANK CAPACITY: 1-gallon**, enough for 10 to 14 hours gas cooking service. Built-in Pump gives greater operating convenience.
- **STURDY, COMPACT CONSTRUCTION**, for long, dependable cooking service.



No. 940-262—Generator for Model Nos. 379A, 378A, and 377A.


U. S. Retail Price, each.....\$2.25

MODEL NO. 379A —Makes and burns its own gas from regular lead-free gasoline. Furnishes speedy, dependable, low-cost gas cooking service anywhere. Fine for use in cabins, summer cottages, hunting lodges, auto camps, cook shacks — anywhere clean, quick cooking heat is required. Everdur metal fuel tank won't rust or corrode; electrically welded; capacity 1 gallon. Equipped with Built-in Pump; hand operated filler plug; combination fuel and air gauge; Instant-Gas Carburetor Valve with automatic safety lock. Has three Band-A-Blu Burners which light instantly, quickly adjusted to high or low flame.

Splasher back, legs and lower shelf are finished in ivory baked enamel. Burner box in a pleasing shade of forest green baked enamel. Black enamel cast iron grates and tank.

DIMENSIONS: Cooking top size, 14x30½ inches. Overall size: Length, 37¾ inches; Width, 18½ inches; Height, 45¼ inches. Shipping weight, 64 pounds.

U. S. Retail Price.....\$29.85



MODEL NO. 378A —This popular priced Coleman Cabin Stove is the same as No. 379A, but without high legs, splasher back and bottom shelf; gives the same instant-gas cooking service. Especially fine for hamburger, "hot dog" stands and lunch counters; for summer cottage, cabin, permanent camp and home laundry. Black baked enamel Tank and cast-iron removable grates; other parts finished in forest green baked enamel.

DIMENSIONS: Cooking Top 14x30½ inches; Overall size: Length, 37 inches; width, 18 inches; height, 9 inches.


Shipping weight, 49½ pounds.

U. S. Retail Price.....\$25.95

The NEW STREAMLINED Coleman SELF-HEATING Iron

INSTANT LIGHTING

new SELLING FEATURES *plus*
PROVED - DEPENDABLE PERFORMANCE



- New Modernistic Beauty
- New Streamlined Design
- New Non-Tarnishing Finishes
- New Natural-Grip Handle
- New Built-In Thumb Rest
- New Air Cooled Hood
- New Counter-Sunk Filler Plug
- New Chromium Plated Base

**MODEL
NO. 609**

LIGHTS INSTANTLY from
Outside—just like natural gas.
NO INSERTING of match inside
iron to preheat generator!

Here's the New Streamlined Coleman Self-Heating Iron . . . brilliantly new in appearance . . . and a real champion in performance! Sparkling new in design and beauty, it retains exactly the same burner structure, the same lighting and operating principle which has proved so outstandingly successful in former models and made Coleman Irons favorites everywhere.


This New Coleman gives you the opportunity to offer your customers an iron that provides the finest modern ironing service. It makes its own gas from ordinary gasoline. Operates for only $\frac{1}{2}$ c an hour. It's a genuine, instant lighting iron — heats rapidly. Can be used anywhere.

The big, easy-gliding, double-pointed Chromium Sole Plate has beveled sides for easy ironing in difficult places. New Natural-Grip Bakelite Handle and Built-In Thumb Rest relieve muscle strain. New Air-Cooled Hood keeps handle cool. Non-Tarnishing Finishes . . . Bakelite handle, black vitreous enamel body, and chromium base and hood preserve this modern iron's beauty.

Packed complete one in a carton with stand, pump, wrench and fuel measuring can. Overall dimensions $4\frac{1}{4}$ inches wide, $10\frac{3}{4}$ inches long, $6\frac{1}{2}$ inches high. Net weight filled $6\frac{1}{2}$ pounds. Shipping weight each 7 pounds.

No. 609 Retail Price, each \$6.95

Parts and Supplies for Coleman Self-Heating Iron No. 609



Order by Number	Name of Part	Retail Price
0	Filtering Funnel	\$0.50
104-905	Gas Tip Cleaning Needle	.09
118-653	Valve Stem Complete	.45
216-509	Pump Leather	.06
362-950	Wrench	.15
410-585	Pump	.45
603-132	Filler Plug Air Stem	.13
603-136	Filler Plug Gasket	.03
603-164	Filler Plug Complete	.36
603-326	Burner Manifold	.75
603-439	Pilot Flame Baffle Plate	.09
604-299	Roto Type Generator (Gas Tip Marked "F")	.50
604-301	Burner Cleaner	.03
604-440	Stand	.24
604-920	Fuel Measuring Can	.24
609-159	Fount (Less Filler Plug)	1.35
609-189	Fount, Valve and Generator	3.00
609-401	Base	1.50
609-402	Body (Porcelain)	.75
609-445	Handle	.75
609-648	Fuel Tip and Air Wire (Fuel Tip Marked "AY")	1.35
609-657	Generator, Valve, Fuel Tip and Air Wire Complete	1.50

MODEL NUMBER 4A ON NEXT PAGE

INSTANT
LIGHTING

Coleman Self Heating Iron

NO
PREHEATING

MODEL NO. 4A

EVENLY BALANCED — No
unnatural tiring strain on arm or wrist

WEIGHT 6 lbs.
---Just right for
good ironing with-
out bearing down

GENERATOR
CLEANING
LEVER. Cleans
generator gas tip
automatically with-
out turning iron off

POINTED HEEL gives wrinkle-proof
results on back as well as forward stroke

TAPERED IRONING EDGE for
ironing pleats, around buttons, etc.

TWO-PIECE
VENTILATED LID
keeps handle cool

VENTILATED BODY
prevents side of iron from
scorching light fabrics

BLUE VITREOUS
BODY rust-proof,
easy to keep clean

HOT POINT--
additional heat
developed here


COLEMAN Self-Heating Iron is a real instant-lighting iron. Heats quickly, ready for use in a jiffy. The double-pointed, highly polished, nickel plated base is glass-smooth—slides easier; 16 square inches of ironing surface. Beveled for easy ironing around buttons, in pleats and tucks. Burner extends full length of the iron, heating the entire bottom with the point the hottest. Two-piece ventilated lid helps keep handle cool. Perfectly balanced for easy ironing. The biggest selling iron of its kind on the market.

Has nickel plated steel lid and handle frame. Blue enameled wooden handle and blue porcelain enameled body. Fount and valve unit constructed of brass. Fount capacity, $\frac{1}{2}$ pint.

Complete with stand, pump, wrench and measuring can. Over-all dimensions: $4\frac{1}{4}$ inches wide, by $10\frac{3}{4}$ inches long, by

$6\frac{1}{2}$ inches high. Net weight filled, $6\frac{1}{2}$ pounds. Shipping weight each, approximately 7 pounds.


No. 4A—Retail price, each.....\$5.95



No. 604-299 Generator
for Nos. 609 and 4A Irons

Has automatic cleaning needle operated by a rotary lever. Keeps gas tip clean for free flow of gas—insures better and longer service. Retail price, each.....\$.50

PARTS AND SUPPLIES FOR COLEMAN SELF-HEATING IRON NO. 4A



Parts Number	Name of Part	Net Retail Price
104-905	Gas Tip Cleaning Needle	\$.09
216-509	Pump Leather	.06
410-585	Pump	.45
603-132	Filler Plug Air Stem	.18
603-136	Filler Plug Gasket	.03
603-164	Filler Plug Complete	.36
603-218	Gas Tip (Marked "I")	.06
603-326	Burner Manifold (Casting only)	.75

603-653	Generator Valve Stem and Pack Nut	\$.30
604-159	Fount (Less Filler Plug)	1.35
604-299	Roto-Type Generator (Gas Tip Marked "I")	.50
604-401	Base	1.20
604-440	Stand	.24
604-445	Iron Handle	.24
604-920	Fuel Measuring Cup	.24
604A-189	Fount, Valve and Generator, Complete Assembled	3.00
604A-648	Fuel Intake and Air Wire (Fuel Intake Marked "AY")	.30
604A-657	Generator, Valve, Fuel Intake and Air Wire Complete Assembled	1.50
605-950	Wrench	.15



Coleman Filter Funnel

Removes dirt, water and other impurities from fuel. Solid Copper, non-corrosive. Equipped with a fine brass wire strainer and special filtering fabric.

No. 0, diameter $2\frac{1}{2}$ inches, for lamps, lanterns and irons.


Each.....50c

Coleman GOOD VALUE Iron

MODEL No. 8A

DESIGNED FOR LOW PRICE COMPETITION

- Instant Lighting - Self Heating
- 16 Sq. Inches Ironing Surface
- Evenly Balanced
- Ventilated Body
- Nickel Plate Finish



MODEL No. 8A Self-Heating Iron is instant-lighting. Burner extends full length of the Iron heating the entire bottom. Has heavy brass generator with gas tip cleaning needle. Heat can be regulated for light or heavy work. Perfectly balanced for easy ironing.

The large double pointed, highly polished, nickel plated base has sixteen square inches of ironing surface. Nickel plated steel lid and handle frame. Gray cast iron body nickel

plated. Fount and valve unit construction of brass throughout. Fount and handle have new Coppertone Finish. Fount fuel capacity, about $\frac{1}{2}$ pint—enough for three hours ironing service.

Complete with stand, pump, wrench and funnel. Over-all dimensions: $3\frac{3}{4}$ inches wide, by $10\frac{1}{2}$ inches long, by $6\frac{1}{2}$ inches high. Net weight filled, $6\frac{1}{2}$ lbs. Shipping weight approximately $7\frac{1}{2}$ pounds.

U. S. RETAIL PRICE—EACH.....


\$3.95

No. 603-299 Generator for No. 8A Iron

RETAIL
PRICE

.40

PARTS AND SUPPLIES FOR COLEMAN IRON No. 8A



PART No.	NAME OF PART	
104-210	Jamb Nut	\$.03
216-509	Pump Leather	.06
410-585	Pump Complete	.45
603-132	Filler Plug Air Stem	.18
603-136	Filler Plug Gasket	.03
603-164	Filler Plug Complete	.36
603-218	Gas Tip (Marked "I")	.06
603-299	Generator, Cleaning Needle and Holder (Gas Tip Marked "I")	.40
603-326	Burner Manifold (Casting Only)	.75
604-401	Base	1.20
603-633	Cleaning Needle and Holder	.18

PART No.	NAME OF PART	
603-653	Generator Valve Stem and Pack Nut (Less Cleaning Needle and Holder)	.30
604-440	Stand	.24
604-659	Fuel Intake Protector and Screen	.15
604-920	Fuel Measuring Cup	.24
604A604	Air Wire	.06
604A618	Fuel Intake (Marked "AY")	.09
604A648	Fuel Intake and Air Wire (Fuel Intake marked "AY")	.30
605-950	Wrench	.15
608-402	Iron Body	.60
608-657	Generator, Valve, Fuel Intake and Air Wire Complete Assembled	1.50
608A159	Fount (Less Filler Plug)	1.35
608A189	Fount, Valve and Generator Complete Assembled	3.00
608A445	Iron Handle	.24



Coleman Filter Funnel


Removes dirt, water and other impurities from fuel. Copper plated, non-corrosive. Equipped with a fine brass wire strainer and special filtering fabric.

No. 0. diameter $2\frac{1}{2}$ inches, for lamps, lanterns and irons.

EACH..... **50c**

Coleman Oil Heater

New Double-Duty Junior Model No. 444



A Radiant-Circulator: Incorporates both the radiating and circulating principles of heating. Through the gridded cabinet it gives the user the advantage of radiant heat in addition to healthful warm air circulation.

New Grilled Cabinet of distinctive pattern and design. Made of heavy gauge steel. Finish is walnut brown Duroplastic Enamel which makes it an attractive piece of furniture.

New Unitary Structure—edges die-drawn, curved, lapped and welded to give greater strength without unnecessary weight.

Reaches An Untouched Market: Made especially for use in single rooms, offices, cabins, work shops, filling stations and cottages to replace obsolete makes of heaters including coal and wood types.

It has the same quality of construction and many of the same features that are found in the higher priced models. Gives an unusually fine heating service. Does away with the work and muss of coal, wood and ashes. Fuel recommended is 38-40 gravity distillate.

SPECIFICATIONS

FUEL CONTROL VALVE: Highest quality, same as used on more expensive models. Automatically meters the constant even flow of fuel to the burner. Can't overflow—a fine safety feature.

FUEL TANK: Heavy duty type, full 3-gallon capacity, electrically welded and soldered, brown enamel finish.

"NO-STOOP" MANUAL HEAT CONTROL: Located at back of heater.

BURNER: High efficiency type with Low-Flame Fuel-Saver. Minimum burning rate $\frac{1}{2}$ pint per hour; maximum fuel consumption 6 gallons in 24 hours.

COMBUSTION CHAMBER: Made of 22-gauge copper bearing blue steel, 10 inches in diameter, 27 inches high; has 4-inch vent. Lid in top of combustion chamber weather stripped with asbestos.

HEAT OUTPUT: 27,500 B.T.U.'s per hour.

HEATING CAPACITY: 3,400 cubic feet....10° to 70° F.


4,580 cubic feet....30° to 70° F. 2,750 cubic feet.... 0° to 70° F.

3,930 cubic feet....20° to 70° F. 2,290 cubic feet....15° below to 70° F.

DIMENSIONS: Overall: Width, 16 inches; Depth, 20 inches; Height, 34 $\frac{1}{2}$ inches.


SHIPPING WEIGHT: 56 pounds.

Retail Price.....\$39.95



← ILLUSTRATION AT LEFT shows a back view of heater with its 3-gallon tank; Fuel Control Valve that automatically meters a uniform flow of fuel, and the "No-Stoop" Manual Heat Control. Note opening at bottom of casing which gives access to inside for cleaning.

ILLUSTRATION AT RIGHT → shows lids to casing and combustion chamber. No trouble to light this heater—just light a piece of paper and drop it through the opening in the top of the Combustion Chamber. Combustion Chamber lid is weatherstripped with asbestos.




CLEAN, LOW-COST DEPENDABLE HEATING SERVICE

Coleman Radiant Heaters

MODEL NO. 16 Instant Lighting


1. **Instant-Lighting:** Requires no preheating. Just strike a match, turn a valve and it's going. Incorporates the same universal "Instant-Gas" principle used so successfully on Coleman Lamps and Lanterns, Camp Stoves, Cook Stoves and Self-Heating Irons.
2. **Safety Lock Valve:** Prevents flooding, controls flow of fuel while lighting.
3. **Operation:** Makes and burns its own gas from any good grade of clean untreated gasoline. Instantly regulated to heat desired. Portable. Carry and use it anywhere.
4. **Design and Finish:** Nickel plated steel dress guards. Polished Aluminum heat reflector. Frame and body finished in rich bronze-brown baked enamel. Top of brown porcelain enamel, heat-resisting and non-tarnishing.
5. **Everdur Metal Fuel Tank:** Rust and corrosion proof; prevents leaks; electrically welded. Easily removed for outside filling. Capacity 7 pints. Operates 6 to 10 hours on one filling. Separate air pump. Hand operated filler plug.
6. **Generator:** Made of seamless alloy tubing, prevents warping. Cleaning needle automatically cleans gas tip each time valve is opened and closed. Easily removed.
7. **New and Improved Burner:** Designed for perfect combustion and odorless operation. Hard clay burner caps. Draining outlet, built into casting bottom. Long-slotted cast iron sub-flame burner built beneath generator holds flame and insures ample heat for complete vaporization of fuel.
8. **Radiants:** Seven single radiants of best fire clay.



Model No. 16

SPECIFICATIONS: Height, 18½ inches; width, 17 inches; depth, 7½ inches; net weight, 20 lbs.; shipping weight, 24 lbs.

Retail Price
Each - - - - - \$15.90



Model No. 5B

MODEL NO. 5B TWO BIG SAFETY FEATURES Everdur Metal Fuel Tank Thermo-Safety Generator


Listed by Underwriters Laboratories File G546

1. **Operation:** Portable. Makes and burns its own gas from untreated gasoline. Produces a fresh, clean, fan-like zone of radiant heat. Instantly regulated.
2. **Instant Gas Starter:** Lights instantly with a match, quickly preheats the generator so that you have a full flow of heat in a minute or less. Equipped with Rotary Generator with Automatic Tip Cleaner.
3. **Design:** Fluted door; decorative dress guards, column ornaments; cast andiron feet; aluminum heat reflector.
4. **Finish:** Heat resisting, non-tarnishing. Frame and body finished in rich bronze-brown baked enamel; top is of brown porcelain enamel.
5. **Everdur Metal Fuel Tank:** Rust and corrosion proof; prevents leaks. Electrically welded. Capacity 1 gallon. Operates 7 to 12 hours. Built-in pump, combination air-and-fuel gauge, fuel control valve, and combination drip-pan and baffle-plate. Easily removed for outside filling.
6. **Thermo-Safety Generator:** Automatically controls fuel flow, prevents flooding. Made of seamless brass tubing.
7. **Improved Burner:** Gray cast iron. Hard clay burner caps.
8. **Radiants:** Eight single radiants of best fire clay.

SPECIFICATIONS: Height, 23 inches; width, 25 inches; depth, 13¾ inches. Net weight, 36 pounds; shipping weight, 45 pounds.

Retail Price
Each \$28.80

Coleman Radiant Heaters




PARTS LIST FOR HEATER NO. 16

Parts No.	Name of Part	Net Retail Price	Parts No.	Name of Part	Net Retail Price
101-522	Pump	.75	485-653	Instant-Gas Valve Stem Complete	.45
104-132	Air Stem	.18	485-657	Instant-Gas Valve Complete	1.80
118B136	Filler Plug Gasket	.03	486-191	Tank & Fittings (Less Generator)	7.50
216-509	Pump Leather	.06	485-193	Tank, Valve & Generator Assembled	9.00
220B140	Filler Plug Complete	.48	486-212	Generator Tube	.75
373-618	Fuel Tip (Marked "AD")	.09	486-253	Generator Valve Stem Complete (Less Needle and Holder)	.45
475-303	Radiant	.36	486-262	Generator Complete (Gas Tip Marked "W")	1.95
475-323	Main Burner Cap (7/8")	.06	486-310	Sub-Flame Burner Casting	.45
479-149	Air Valve Complete	.48	486-370	Burner Manifold (With Main Burner Caps)	1.80
479-218	Generator Gas Tip (Marked "W")	.12	486-406	Valve Catch	.09
479-219	Generator Filler Coil	.15	486-407	Valve Latch	.09
479-308	Drain Cap	.06	900-610	Instant-Gas Valve Safety Lock	.09

PARTS LIST FOR HEATER NO. 5B


Parts No.	Name of Part	Net Retail Price
104-905	Gas Tip Cleaning Needle	.09
324-303	Connection	.15
471-322	Sub-flame Burner Cap (7/8")	.06
472-435	Top Tie Rod	.12
472-436	Top Tie Rod Nut	.03
474-109	Air Stem Spring	.03
474-218	Gas Tip (Marked "4H")	.12
474-509	Pump Leather	.06
475-171	Fuel Tube (3 3/8" Long)	.30
475-262	Thermo-Safety Generator (Gas Tip Marked "4H")	3.45
475-303	Radiant	.36
475-310	Preheater Pan	.45
475-318	Preheater Gas Tip (Marked "S")	.06
475-323	Main Burner Cap (7/8")	.06
475-370	Burner Manifold (With Main and Sub-flame Caps)	3.00
475-403	Radiant Back (Aluminum)	1.50
475-410	Post Bolt	.09
475-415	Door Trim	.60
475-417	Top (Porcelain)	1.50
475-473	Bail	.30
475-480	Guard	1.05
475A404	Foot (Right)	.75
475A405	Foot (Left)	.75
475A407	Post Top	.30
475A408	Frame Trim (Right)	.36
475A409	Frame Trim (Left)	.36
475A418	Top Trim (Right)	.36
475A419	Top Trim (Left)	.36
475A491	Door Complete	2.40
475A648	Indicator Handle and Screw	.15
475A653	Valve Stem (Less Indicator Handle and Screw)	.30
475A657S	Tank Fuel Valve Complete	.90
457B171	Preheater Fuel Tube (5 1/4" Long)	.30
475B191	Tank Complete (With Fittings)	9.90



Parts No.	Name of Part	Net Retail Price
475B193	Tank, Drip Pan and Generator Complete Assembled	\$13.50
475B239	Preheater Generator (Rotary Type) (Gas Tip Marked "S")	.50
475B357	Preheater Tank Valve Complete (Fuel Tip Marked "F")	.90
605-950	Wrench	.15
650-136	Filler Plug Gasket	.06
650-140	Filler Plug Complete	.75
940-123	Combination Fuel and Air Gauge	1.65
940-532	Air Stem	.45
940-533	Check Valve	.45
940-555	Pump Plunger Complete (Less Air Stem)	1.20


Coleman CIRCULATING HEATER

MAKES AND BURNS ITS OWN GAS — LIGHTS INSTANTLY



MODEL No. 490A

Height 28 $\frac{1}{8}$ in.;
Width 13 in.;
Depth 17 $\frac{1}{4}$ in.;
Net wt., 41 lbs.
Shipping wt.,
48 lbs.



**EVERDUR
FUEL TANK
EASILY
REMOVED
FOR
OUTSIDE
FILLING**

A fine small Heater with ample capacity for heating average size rooms - - also

**Offices — Cabins
Cottages — Trailers
Filling Stations, etc.**

Gives efficient and dependable heating service under any conditions . . . quickly circulates heat to every part of the room.

Fuel is any good grade of regular gasoline free of anti-knock compounds . . . available everywhere.

1. Powerful 4-Inch Coleman Burner--made of heavy gray cast iron . . . lights instantly—produces an abundance of fast-action heat. Easily regulated.

2. Combustion Chamber--is made of 20 gauge sheet steel, 18 inches high and 7 inches in diameter—enclosed in a cabinet which is made of 22 gauge sheet steel. Fitted with 3-inch vent opening to carry off products of combustion.

3. Everdur Metal Fuel Tank--electrically welded, will not rust or corrode. Removable for easy filling—outside if desired. No spilled fuel on heater or floor—a big safety feature. One gallon capacity; one filling gives 8 to 20 hours heating service.

4. Safety Fuel Drain-- Automatically drains away from manifold any excess fuel—no flooding.

5. Duroplastic Enamel Finish-- in attractive dark brown crinkly effect—will not crack, chip or peel.


6. Easily Installed--doesn't have to set level—may be fastened to floor.

U. S. Retail Price..... \$14.85

SEE OTHER SIDE FOR FURTHER DETAILS →

Coleman

CIRCULATING HEATER



Warms and Circulates 3,860 Cubic Feet of Air per Hour


The Coleman No. 490A Heater is without question one of the finest, if not the finest, little circulating space heater made. It gives remarkable heating performance.

It warms and circulates 3,860 cubic feet of air per hour—keeps fresh warm air in continuous circulation—completely circulates the air in an average size room about three times an hour. It is especially fine for use in trailers.

Air is constantly drawn from the floor. It flows up around the hot combustion chamber, where it is thoroughly warmed. It then flows through the grilled top and circulates throughout the room, keeping it cozy and comfortable. (See Figure 1).

The heat is instantly adjustable, high or low as desired, with just a turn of the burner valve. There is no odor, no deposit of soot or greasy dirt, no sweating of walls and windows. The products of combustion are all vented outside, insuring cleaner, fresher air.

VENT FOR PRODUCTS OF COMBUSTION



AIR INTAKE
FOR COMBUSTION
CHAMBER

FIGURE 1

THIS IS NOT JUST A STOVE. It is a Circulating Heater. Therefore, instead of just a "hot" area within a few feet of the Heater, the entire room is heated an even temperature. No hot spots — no cold spots.

It will satisfactorily and uniformly heat any room or trailer where the normal heat loss does not exceed 15,000 B.T.U.'s per hour.

DO NOT INSTALL THE MODEL 490A HEATER FOR "SPOT" HEATING IN A LARGE ROOM OR BUILDING, HAVING A GREATER AREA THAN IT IS DESIGNED TO HEAT.

To provide a small "hot" area in a large space, use Coleman Model 16 or 5B "Radiant" Heater.




FIGURE 2

Coleman Water Heaters

HOT WATER ANY TIME--ANY PLACE

No. 463G with 3-Gallon Fuel Tank

Lights Instantly—Makes and Burns Its Own Gas From
Regular Untreated Gasoline.

Here is a quick-action heater that provides steaming-hot water in just a few minutes. Double coil $\frac{3}{4}$ -inch copper tubing enclosed in cast iron jacket, and heated with 5-inch Coleman Burner. Lights instantly when operated from the Instant-Gas Carburetor Valve on the fuel tank. Easy to operate, sturdy in construction; built to give long service. The heavy-gauge tank is made of lead-coated steel; rust-resisting. Three-gallon size; holds two gallons of fuel and one of air. Separate Jumbo Air Pump. Diameter of tank 12 inches. Height, $9\frac{1}{4}$ inches. Heater height, $18\frac{3}{4}$ inches, Diameter, $7\frac{3}{4}$ inches. Shipping Weight, 48 lbs.

No. 463G Coleman Water Heater


Complete with Burner, Tank and Pump. U. S. Retail Price.....\$24.75

No. 457-199 3-Gallon Tank


With Jumbo Pump and four feet of fuel tubing. Shipping Weight, 12 lbs.
U. S. Retail Price.....\$8.85

Pumps, Fuel Tubing and Connections

599-102— $\frac{3}{8}$ " O.D. x $\frac{3}{64}$ "	
Wall Soft Seam-	
less Brass Tub-	
ing only—foot	.15
599-112—Jamb	
599-913—Jamb Nut	.12
(Jamb brazed to Tubing)	
599-917—Tee	.24
599-908—Nipple	.18
599A657—Wall Valve	.90
451-522—Jumbo Pump	1.35



No. 463-199—5-Gallon Tank




Made of heavy gauge, lead-coated, rust-resisting steel. Equipped with four feet of fuel wire, hand operated filler plug, and Coleman Instant-Gas carburetor valve which provides gas instantly for starting. Has an extra bushing so a second instant-gas carburetor valve can be in-

stalled, thus permitting operation of two instant-lite burners. This tank may be used with all Coleman Burners. Five-gallon size; holds three gallons of fuel—balance of space is for air; separate jumbo air pump. Diameter of tank is 12 inches; height $12\frac{1}{2}$ inches; shipping weight, 13 pounds. U. S. Retail Price.....\$10.95

No. 653D—10-Gallon Tank

Provides convenient and ample fuel supply for stoves, burners, water heaters, system lamps. Ten-gallon size; has 7 gallons fuel capacity and 3 gallons air space; made of heavy gauge, lead-coated steel; rust-resisting electrically welded. Equipped with air pressure gauge, hand operated filler plug, air and fuel valves. Giant pressure pump has a 21-inch barrel of high-grade steel tubing; attached to tank. Easily removed. Height of tank, $24\frac{3}{8}$ inches; diameter, $13\frac{3}{8}$ inches. Shipping Weight, 23 pounds.



U. S. Retail Price.....\$11.85


NOTE: When 10-gallon tank is to be used with water heater, order Coleman Water Heater No. 463T. This includes the 10-gallon tank and water heater equipped with burner which has the match-lighting preheater.

Coleman Burners

SPEEDY GAS HEAT—AT LOW COST

COLEMAN BURNERS provide a quick, sure and dependable method of heating where regular city gas cannot be obtained or is unsatisfactory. They are strong and durable in construction; stand up under the hardest kind of usage. Provide clean, odorless, fast-action heat for every need. They make and burn their own gas from any good grade of clean gasoline free of anti-knock compounds. May be used with any cooking

or lighting plant, where a large fuel supply tank and hollow-wire system is used; or they may be operated from an individual fuel supply tank. Used in Restaurants, Hotels, Coffee Shops, Road Stands, Print Shops, Dairies, Farms, Show Concessions, Barber and Beauty Shops, Poultry Houses, Laboratories, Plumbing Shops, Doctors' and Dentists' offices, Cleaning Shops and numerous manufacturing plants.




No. 501 — 5-Inch Burner — Suitable for either light or heavy duty. Produces up to 35,000 B.T.U.'s per hour. Equipped with combination match-lighting and pan-type preheater. The special alloy generator gives long service. Quickly removed by simply loosening one set screw. Equipped with 9-inch heat baffle below burner. Height, 6¼ inches. Shipping weight, 8½ pounds.

U. S. Retail Price.....\$6.90


No. 502—Same as No. 501, except does not have match-lighting preheater. Shipping weight, 8 lbs.

U. S. Retail Price.....\$5.85



No. 558—7-Inch Burner — Of the same general design as No. 501 but with a larger heat producing capacity. It will produce up to 55,000 B.T.U.'s per hour. Especially suited for use where an extra amount of heat is needed. Height, 6½ inches. Shipping weight, 10 pounds.


U. S. Retail Price.....\$7.20



No. 555 — 3-Inch Burner — With a big heat capacity. Fine for use under coffee urns, for hamburger stands and portable concession use. Straight-type, long-life generator, easily replaced. It produces steady, economical heat. Sturdily made to give efficient, dependable heating service. Equipped with heat baffle and pedestal support. Produces up to 18,000 B.T.U.'s per hour.

Height, 6¾ inches. Shipping weight, 6½ pounds.

U. S. Retail Price.....\$3.90




No. 555—9-Inch Burner — Made of heavy, cast iron; equipped with 36 non-corroding lava disc burner caps. For use under steam boilers, pressure machines, chemical vats, bake ovens, butcher kettles, canning boilers and anywhere an unusual volume of clean, fast-action, dependable heat is required. Produces up to 75,000 B.T.U.'s per hour. Height, 8 inches. Shipping weight, 19 pounds.

U. S. Retail Price.....\$12.15

INSTANT-LIGHTING—When used with Coleman Fuel Tanks No. 457-199 or No. 465-199, which are equipped with Instant-Gas Carburetor Valves, all Coleman Burners light instantly without preheating the generator. When used with Fuel Supply Tank No. 653D it is necessary to preheat the generator. It is suggested that Burners Nos. 502, 555, 556 and 558 be used with Fuel Supply Tank No. 457-199 or No. 465-199; and Burner No. 501 be used with Fuel Supply Tank No. 653D.

Coleman

Super-Speed AUTOMATIC ELECTRIC IRONS




MODEL No. 40

800 Watts, Super-Speed, Automatic Adjustable Heat Control, Chromium Finish

In size, weight, design and finish Model No. 40 is exactly the same iron as No. 41 except that it is an 800-watt iron.

Rating: 800 watts at 115 volts, A.C. only. Volts 110-120. Shipping weight, 6 lbs. Six in carton, shipping weight, approximately 35½ pounds.

Listed by Underwriters' Laboratories.
U. S. Retail Price.....\$7.95



MODEL No. 36

Non-Automatic—615 Watts

The finest non-automatic iron on the market. Built to Coleman standards of precision and quality. Made to give years of faultless service. Durable chromium finish.

Rating: 615 watts at 115 volts, A.C. or D.C. Volts: 110-120. Shipping weight, 6½ pounds. Six in carton, shipping weight, 40 pounds.

U. S. Retail Price.....\$4.95

MODEL No. 41

1100 Watts. Super-Speed, Automatic, Adjustable Heat Control, Chromium Finish.

Here is tomorrow's "Super Iron" ready today! It leads the field with new Super-Streamlined beauty, Super-Speed and Super-Power to bring the user better, easier and faster ironing. All the newest and finest Coleman features! Each iron sold will help sell more irons. Light in weight—4¾ pounds—for greater ease in handling! Extra heat does the work of extra weight. Long-Life Heating Element—Sets deep in sole plate close to ironing surface—insures even spread of heat. No hot spots. No cold edges.

Rating: 1100 watts at 115 volts. Volts 110-120. For use on 50 or 60 cycle, A.C. only. Shipping weight, 6 lbs. Six in carton, shipping weight, approximately 36 pounds.

Listed by Underwriters' Laboratories.
U. S. Retail Price.....\$8.95


\$1.00

Trade-In Allowance on Coleman Electric Irons

The standard retail prices on Coleman Automatic Irons provide a margin sufficient to permit the dealer, at his option, to offer a "trade-in" allowance of \$1.00 for old irons. Discounts are figured after deducting \$1.00 for trade-in allowance.

Special displays and newspaper mats for dealers' use in promoting the \$1.00 "trade-in" offer are available at all times.

- ① Fabric Indicator Dial with Adjustable Heat Regulator—Marked with fabric names—silk, wool, rayon, etc.—to insure correct temperature. It's also an "off" switch with which current is turned off completely.
- ② Easy-Grip Handle with Built-in Thumb Rest—Curved to fit the hand. Relieves muscle strain. Makes guiding iron easier with less effort.
- ③ Precision-Built Thermostat—Made of finest materials for long life. Automatically cuts current off when iron reaches temperature at which Heat Regulator is set—cuts current on when iron begins to cool. Keeps iron at exact heat desired. Uses 40% less electricity. Saves \$2 to \$5 a year on electric light bills. Prevents overheating so iron does not become a fire hazard. Sets deep in sole plate—quickly responds to any temperature variation.
- ④ Button Bevel Sole Plate—Long sloping point and beveled sides make ironing along seams, around buttons and in other awkward places easy. Chromium plated sole plate lets iron "coast" easily along—will not rust or scratch.
- ⑤ Permanently Attached Cord—10,000 cycle test, 7-foot length. Eliminates wear on cord, plug and iron terminals. Protected by spring steel strain relief, where attached to iron. A money-saving feature.



MODEL No. 38


1000 Watts Chrome Finish

Fully automatic with adjustable heat control. Saves time, work and money on ironing days. Ideal for the fast operator. Long Life Heating Element. Will not "iron cold." Rating: 1000 watts at 115 volts, A. C. only. Volts: 110-120. Shipping weight, 7 lbs. Six in carton, shipping weight approximately 43 lbs.

Listed by Underwriters' Laboratories.
U. S. Retail Price.....\$6.95

The Coleman Thermostat

Precision-Built—Long Lasting The Heart of the Coleman Automatic Iron



The heart of any automatic electric iron is in the thermostat. The life of the iron is the life of the thermostat only. When the thermostat is dead the automatic feature is useless. The Coleman Thermostat is made of the finest thermostatic metals; sturdy in construction, and precision-built, to insure long, dependable service.

The Thermostat automatically cuts current on and off. Holds the iron at a constant, even heat, indefinitely. Quickly responds to change in sole plate temperature. Prevents overheating—prevents cooling—no wide heat variations.


38-64 Electric Appliance Cord Set

7 FOOT LENGTH
10,000 Cycle Test;
Bi-Metal Clips
"Strain-Relief" Tie.



A Gold Label Cord Set approved by Underwriters' Laboratories; "10,000 cycle test" built better than maximum Underwriters' requirements. 7-ft. length. New type cold moulded Coleman Plug—Bi-Metal Clips (an exclusive feature), heat-resisting, give positive contacts. "Strain-Relief" Tie prevents damage to connections. Six Cords in individual cartons, packed in display carton. Shipping weight, 2½ lbs.; singles, 6 ounces.
Retail Price, each.....


39-64 Coleman Cord Set



6 FOOT LENGTH

A Gold Label Cord Set approved by the Underwriters' Laboratories; built better than maximum Underwriters "10,000 cycle test" requirements. New type cold moulded Plug—Bi-Metal Clips (a special feature insuring perfect contact at terminal posts). "Strain Relief" Tie prevents damage to connections. Moulded rubber attachment cap preserves connections — unbreakable.
Retail Price, each.....

P-333 Appliance Plug



(Same as No. 38-60)
New cold moulded Plug. Exclusive Bi-Metal Clips (a special feature insuring a perfect contact at terminal posts). Strain relief tie prevents damage to connections.
Retail Price, each..... 30c

Coleman LIGHTING FIXTURES

FOR USE WITH LIQUEFIED HYDROCARBON GAS

1. DESIGNED FOR UNIVERSAL USE:

These fixtures can be used with either propane or butane gas. The interchangeable gas tips make it possible to use the same fixture for either high or low line pressure. A scientifically constructed burner eliminates the use of a generator. The double air intake insures a correct mixture of air and gas at all times. Installation is simple and easy.

(A set of three gas tips for various gases and pressures is supplied with each fixture. Be sure to select and install the proper tip for the gas and pressure you intend using).

2. NEW MODERN STYLING AND FINISH:

All of the casings and wall boxes are finished in dark walnut brown Duroplastic Enamel. This is a crinkly finish that is practically indestructible. Harmonizes with most home furnishings. Trimmings are bright nickel.


3. MEETS UNDERWRITERS' REQUIREMENTS:

For the protection of the user these fixtures were designed in accordance with the Underwriters' requirements.



**MODEL No. 891
SINGLE DROP FIXTURE**

Just right for lighting all medium-sized rooms. Furnished with standard 26-inch drop tube, which may be shortened to conform to varying ceiling height. Standard overall length 38 inches; width, with globe, 5½ inches. Packed one to the package. Shipping weight, 6½ pounds.




**MODEL No. 892
DOUBLE DROP
FIXTURE**

Ideal for use in dining rooms, large living rooms, halls, lodge rooms and other places where an abundance of light is required. The drop tube is 26 inches, which can be cut to suit height of ceiling. Standard overall length, 39 inches; width, 20½ in. Packed one to the package. Shipping weight, 12 pounds.

**MODEL No. 890
BRACKET FIXTURE**

Especially suitable for use in halls, kitchens, bath rooms, over desks, etc. Standard overall length, 14 inches; width, with globe, 9½ inches. Packed one to the package. Shipping weight, 5 pounds.




NOTE: No mantles are packed with fixtures. Order mantles No. 851-40 for line pressures of less than one pound and No. 21A for line pressures over one pound.

MANTLE No. 21A

For use with Liquefied Hydrocarbon Gas at line pressure greater than one pound

New Grade "A" high quality mantle—made of especially treated Rayon fibre—Triple lock weave. Exceptionally sturdy—greater flexibility—lasts longer—gives more and better light—the most economical mantle to use.

U. S. Retail Price, Each.....	9c
1/2 Dozen	45c
Dozen	90c



MANTLE No. 851-40

For use with Liquefied Hydrocarbon Gas at line pressure less than one pound

Only the best of selected raw materials are used in its manufacture. Properly saturated with light-giving chemicals. Just right in shape, size, texture and chemical content to produce the most and best light.

U. S. Retail Price, Each..... 25c

GLASS GLOBE No. 890-130

This globe is standard equipment for Coleman Lighting Fixtures, made from the highest quality glass. Protects mantles from damage by flying insects. The same globe fits all fixtures.

U. S. RETAIL PRICE, Each.....\$1.00

PYREX GLASS GLOBE No. 891-130

This is the same type of globe as used on the fixtures here illustrated except made from high quality heat-resisting Pyrex glass. Not packed with fixtures, but furnished as an accessory only.

U. S. RETAIL PRICE, EACH.....\$1.80

Dealers' Net Price Schedule on Coleman Mantle Lamps and Lanterns

EFFECTIVE JANUARY 1, 1940

Subject To Change Without Notice

STANDARD AIR PRESSURE LAMPS

No.	Finish	Description	Shipping Weight Pounds	Dealer Price Each	Retail Price Each
132A	Ivory and Gold	GASOLINE Gasoline, Instant-Lite; Decorated Fluted Shade. Inner Pyrex Glass Globe protects mantles. T44G Rotary Generator; 3-pint Fount; Built-in Pump	10	\$5.95	\$8.95
143	Ivory and Gold	Gasoline Instant-Lite; Decorated Fluted Shade; Inner Pyrex Globe. T44G Rotary Generator; 2-pint Fount; Separate Pump	7½	4.15	5.95
134A	Ivory	Gasoline, Match-Light, with Decorated Fluted Shade; Inner Mica Globe, protects mantles. Long-Service T44G Rotary Generator; Separate Pump; 2-pint Fount	5	2.95	3.95

KERO-LITE MANTLE LAMP

Kerosene, Wick-Type

No.	Finish	Description	Shipping Weight Pounds	Dealer Price Each	Retail Price Each
160	Light Ivory	Lamp, Less Shade and Tripod	7	\$3.95	\$5.75
160SD		Embossed, Decorated Heavy Parchment Shade (Packed 3 in Carton)	4	1.00	1.50
160T		Tripod (Packed 3 in Carton with Shades)	---	.17	.25
160-371S		Long-Life Wicks	---	.23	.35
160-161		Pyrex, Heat-Resisting Crystal-Clear, Glass Chimney	---	.33	.49

COLEMAN AIR PRESSURE MANTLE LANTERNS

No.	Finish	Description	Shipping Weight Pounds	Dealer Price Each	Suggested Retail Price
GASOLINE MANTLE LANTERNS					
220B	Standard Nickel	Instant-Lite Lantern, with Pyrex Globe. 6¾-inch Green Porcelain Top. Built-in Pump	6	\$5.10	\$7.45
228B	Standard Nickel	Instant-Lite Lantern, with Pyrex Globe 8¾-inch Green Porcelain Canopy Style Top. Built-in Pump	6½	5.30	7.95
242B	Standard Nickel	Instant-Lite Lantern, Single Mantle, Bulge Type Pyrex Globe. 5½-inch Green Porcelain Canopy Style Top. Built-in Pump	4	4.15	5.95
243A	Blue Lacquer Enamel	Instant-Lite Lantern, Single Mantle Type; Mica Chimney; Blue Lacquer Enamel Fuel Fount, and Blue Porcelain Enamel Canopy Style Top. Built-in Pump	3½	2.95	3.95
L427	Standard Nickel	Quick-Lite Model Lantern, 5¼-inch Green Porcelain Top, Mica Globe and Built-in Pump	5	4.70	6.95
KEROSENE MANTLE LANTERNS					
234	Nickel and Green Enamel	Kerosene Single Mantle Lantern, Bulge Type Pyrex Globe. 5½-inch Green Porcelain Canopy Style Top. Green Enamel Fuel Fount. Built-in Pump	5	\$3.45	\$4.95
204-480	Green Enamel	Handy Wall Hanger and Shield for Coleman Lanterns	3½	\$1.30	\$1.95

Dealers' Net Price Schedule on Coleman Rayon Mantles

EFFECTIVE JANUARY 1, 1940

Subject to Change Without Notice

No.	OUR HIGHEST GRADE HEAVY DUTY MANTLE	Shipping Weight	Dealer Price	Retail Price
21A	Junior "Silk-Lite" Triple Lock Weave.....	-----	Doz. \$.60	Each .09
21A	Junior "Silk Lite" Triple Lock Weave.....	24 oz.	Gross 6.95	Dozen .90
20	Senior "Silk Lite" Large Size.....	-----	Doz. .90	Each .15
20	Senior "Silk Lite" Large Size.....	24 oz.	Gross 10.00	-----
No.	OUR MEDIUM GRADE RAYON SINGLE WEAVE	Shipping Weight	Dealer Price	Retail Price
31	Junior "Raytex" (5c Retailer).....	-----	Doz. \$.45	Each .05
31	Junior "Raytex" (5c Retailer).....	18 oz.	Gross 5.20	Dozen .60
No.	MANTLES FOR KER-O-LITE LAMPS	Shipping Weight	Dealer Price	Retail Price
159	100 Ker-O-Lite Mantles with Holders, Packed 25 mantles in standard shipping carton.....	8 lbs.	\$22.75	Each \$.35
159	25 Ker-O-Lite Mantles with Holders.....	2 lbs.	5.80	Each .35
139	100 Ker-O-Lite Mantles without Holders, Packed 5 mantles in an attractive display carton; 5 display cartons in standard shipping carton.....	8 lbs.	16.25	Each .25
139	25 Ker-O-Lite Mantles without Holders.....	2 lbs.	4.15	Each .25
No.	MANTLES FOR LIQUID GAS FIXTURES	Shipping Weight	Dealer Price	Retail Price
851-40	Inverted Gas Mantles.....	Dozen 16 oz.	Doz. \$ 1.80	Each .25

Coleman Lamp and Lantern Generators

EFFECTIVE JANUARY 1, 1940

Subject To Change Without Notice

No.	Description	Shipping Weight Per Doz.	Dealer Prices Per Doz.	Retail Prices Each
Q99	Coil Generator.....	14 oz.	Per Dozen \$2.80 .25 ea. in less than Doz. Lots	\$.35
Q77	Straight Generator.....	7 oz.	Per Dozen \$2.00 .18 ea. in less than Doz. lots	.25
R55	Jumbo Rotary Generator.....	14 oz.	Per Dozen \$4.00 .35 ea. in less than Doz. lots	.50
T44G	Roto-type Generator (For Gasoline Lamps and Lanterns)	8 oz.	Per Dozen \$3.60 .33 ea. in less than Doz. lots	.45
T44K	Roto-type Generator (For Kerosene Lamps and Lanterns)	8 oz.	Per Dozen \$3.60 .33 ea. in less than Doz. lots	.45
T66	Roto-type Generator.....	8 oz.	Per Dozen \$3.60 .33 ea. in less than Doz. lots	.45

Dealers' Net Price Schedule on Coleman Shades, Globes, Etc.

F. O. B. Wichita and Branch Houses. No Freight Allowances.
EFFECTIVE JANUARY 1, 1940 Subject To Change Without Notice

No.	Description	Shipping Weight Standard Package Pounds	Standard Quantity Packages	Dealer Price	
				Per Doz. in Unb'ken Standard Packages	Per Each in Less Than Original Packages
	DECORATED PARCHMENT SHADES	3 Shades in Carton			
	For 1934 and Later Model Lamps				
132SD	Shade, 15" Dia. (For Nos. 132A, 131P, 132P Lamps)	5	3	\$8.65	\$.80
143SD	Shade, 13" Dia. (For No. 143 Lamp)	4	3	7.35	.70
134SD	Shade, 13" Dia. (For Nos. 129, 133, 130P, 134P, and 134A Lamps)	3	3	5.25	.50
	GLASS SHADES FOR LAMPS				
329	White Monax, 10" Diameter	6 Shades in Carton 18	6	\$10.65	\$1.00
	Shade 329 can be used on any Coleman Portable Instant-Lite or Quick-Lite Table Lamp, except No. C362, No. 121, No. 130G, No. 130P, No. 131P, No. 132P, No. 132A, No. 133, No. 134P, No. 134, No. 143 and No. 129.				
	PYREX GLASS GLOBES FOR LAMPS AND LANTERNS	6 Globes in Carton			
355	Pyrex Globe for all 1935 and 1936 Model Lamps and Liquid Butane Fuel Fixtures Nos. 857, 857A, 858 and 859	6	6	\$7.00	\$.63
330	Pyrex Globe (Straight type for Nos. 220B, 228B, and 235 Lanterns)	6	6	7.20	.70
352	Pyrex Globe and Holder (For use on No. 130P, No. 131P, No. 132P Lamps)	1 Globe in Carton 1 1/2	1	9.30	.85
550	Pyrex Globe (Bulge Type for 242, 242A, 242B, 243, 243A and 234 Lanterns)	6 Globes in Carton 3 1/2	6	5.00	.50
062	Globe, three-quarter frosted, 7" Diameter, Fitter 3 3/8" (For Lamps Nos. 362 and 130G and Compressed Gas Lighting Fixtures Nos. 851, 852, 853, 854, 855 and 856).	9	6	9.30	.85
	MICA GLOBES FOR LAMPS AND LANTERNS	12 Micas in Carton			
327	Mica (For all Coleman Lanterns, except Nos. 242, 242A, 242B, 243, 243A and 234)	2 3/4	12	\$4.70	\$.45
351	Mica (For Nos. 130P, 131P, 132P Lamps)	2	12	5.20	.50
440	Mica (For Nos. 242, 242A, 242B, 243, 243A and 234 Lantern)	1 1/2	12	3.60	.35

Coleman Oil and Gasoline Heaters

No.	DESCRIPTION	Shipping Weight Pounds	Dealer Price	Suggested Retail Price
5B	Coleman Radiant Heater	42	\$19.20	\$28.80
16	Coleman Radiant Heater	24	10.60	15.90
444	Coleman "Radiant-Circulator" Oil Heater	56	26.65	39.95
490A	Coleman Circulating Heater	48	9.90	14.85
475-303	Radiant for Model Nos. 16 and 5B		.24	.36
486-262	Generator for Model No. 16		1.30	1.95
475-262	Generator for Model No. 5B		2.30	3.45
490-262	Generator for Model No. 490		1.30	1.95
490A-262	Generator for Model No. 490A		1.30	1.95

Dealers' Net Price Schedule on Coleman Self-Heating Irons

EFFECTIVE JANUARY 1, 1940

Subject to Change Without Notice

No.	DESCRIPTION	Shipping Weight Pounds	DEALER PRICE	SUGGESTED RETAIL PRICE
609	"STREAMLINED" IRON ----- Bakelite Handle Black Vitreous and Chrome Finish (INSTANT LIGHTING)	Each 7 Six 44	\$4.75 In Less Than Case Lots \$4.50 In Unbroken Case Lots of Six	\$6.95 each
4A	"BLUE TRIM" IRON ----- Enameled Wood Handle Blue Vitreous, Nickel Finish (INSTANT LIGHTING)	Each 7 Six 44	\$4.10 Each In Less Than Case Lots \$3.90 Each In Unbroken Case Lots of Six	\$5.95 each
8A	"GOOD VALUE" IRON ----- Wood Handle—Nickel Finish (INSTANT LIGHTING)	Each 7 Six 42½	\$2.95 Each	\$3.95 each
604-299	GENERATOR (For No. 4A and 609 Iron) -----		\$4.00 Per Dozen .35 each	.50
603-299	GENERATOR (For No. 8 and 8A Iron) -----		\$3.20 Per Dozen .30 each	.40

Coleman Camp and Utility Stoves

Model No.	Description	Shipping Weight Pounds	Dealer Price Each	Suggested Retail Price
418B	Coleman Instant Lighting, 3-Burner Camp Stove; Solodur Metal Fuel Tank -----	29	\$8.60	\$12.90
413B	Coleman Instant Lighting 2-Burner Camp Stove without oven; Solodur Metal Fuel Tank -----	22	6.95	9.95
415C	Coleman Instant Lighting 2-Burner Camp Stove without oven; Solodur Metal Fuel Tank -----	14½	4.85	6.95
416C	Coleman Instant Lighting, 2-Burner Camp Stove with built-in oven; Solodur Metal Fuel Tank -----	23	6.95	9.95
417B	Coleman Instant Lighting 2-Burner Camp Stove without oven; Steel Fuel Tank -----	14	3.65	4.95
400	Portable Folding Oven, Blue Steel Finish; size set up 11½ in. wide; 10½ in. high; 11 in. deep. -----	7½	1.80	2.70
500	Speedmaster, One Burner Table Stove Instant Lighting -----	5¼	4.00	5.95
10	Folding High Stand; fits all Coleman models and practically all other camp stoves -----	8	1.30	1.95
412-262	Generator Tube, Gas Tip, Bushing Coil, Needle & Holder for Nos. 412B, 415C, 416C, and 417B -----		.60	.90
413-262	Generator Tube, Gas Tip, Bushing, Coil, Needle and Holder for Nos. 413B and 418B -----		.60	.90

Dealers' Net Price Schedule on Coleman Trailer and Cabin Stoves

EFFECTIVE JANUARY 1, 1940

Subject to Change Without Notice

Item No.	Name and Description	Shipping Weight Pounds	Dealer Price Each	Suggested Retail Price
370B	Standard, 2-Burner Hot Plate with Removable One Quart Fuel Tank.....	16	\$ 5.30	\$ 7.95
391	2-Burner Hot Plate, Removable Two Quart Fuel Tank.....	17	6.60	9.90
392	2-Burner Hot Plate, with Removable Five Pint Fuel Tank.....	23½	9.30	13.95
395	3-Burner Hot Plate, Removable Five Pint Fuel Tank.....	30	11.00	16.50
378A	3-Burner Hot Plate, One Gallon Everdur Fuel Tank has Built-in Pump.....	50	17.30	25.95
379A	3-Burner with High Back and Legs, One Gallon Everdur Fuel Tank has Built-in Pump.....	64	19.90	29.85
397	3-Burner Range with Low Built-in Oven; Removable Three Quart Fuel Tank.....	130	35.90	53.85
396LC	3-Burner Trailer Range with Low Built-in Oven, Removable Three Quart Fuel Tank.....	113	34.00	51.00
396-490	Burner Lid Cover for No. 397 and 396LC Ranges.....		\$ 1.30	\$ 1.95
387-660	Valve and Generator for Model No. 392.....		1.50	2.25
391-660	Valve and Generator for Model No. 391.....		1.20	1.80
393-262	Generator for Model Nos. 396LC, 397.....		.80	1.20
393-660	Valve and Generator for Models Nos. 396LC, 397.....		2.00	3.00
395-262	Generator for Model No. 395.....		.60	.90
412-262	Generator for Model Nos. 370A, 370B, 386, 391.....		.60	.90
412-660	Valve and Generator, Model Nos. 370A, 370B, 386.....		1.30	1.95
413-262	Generator for Model Nos. 371, 387, 392.....		.60	.90
413-660	Valve and Generator, Model Nos. 371, 387.....		1.50	2.25
940-262	Generator for Model Nos. 377A, 378A and 379A.....		1.50	2.25

Coleman Burners, Handy Gas Plants, Water Heaters, Supply Tanks and Filtering Funnels

Item No.	Name and Description	Shipping Weight Pounds	Dealer Price Each	Suggested Retail Price Each
556	Burner, 3" diameter, Pan Generating.....	6½	\$ 2.60	\$ 3.90
501	Burner, 5" diameter, Hot Blast Preheater or Pan-Generating.....	8½	4.60	6.90
502	Burner, 5" diameter, Instant-Lite or Pan-Generating.....	8	3.90	5.85
558	Burner, 7" diameter, Instant-Lite or Pan Generating.....	10	4.80	7.20
555	Burner, 9" diameter, Instant-Lite or Pan-Generating.....	19	8.10	12.15
457	Handy Instant-Gas Plant, Less Grate, 5-inch Burner.....	19	9.90	14.85
457G	Handy Instant-Gas Plant, with Grate, 5-inch Burner.....	22	10.50	15.75
458	Handy Instant-Gas Plant, Less Grate, 3-inch Burner.....	14½	7.30	10.95
458G	Handy Instant-Gas Plant, with Grate, 3-inch Burner.....	17½	7.90	11.85
460	Handy Instant-Gas Plant, Less Grate, 7-inch Burner.....	21	11.00	16.50
460G	Handy Instant-Gas Plant, with Grate, 7-inch Burner.....	24	11.60	17.40
457-335	Handy Gas Plant Heating Drum.....	4	1.20	1.80
463	Water Heater Less Burner and Tank.....	29	6.70	10.05
463-399	Burner, 5" diameter, Instant-Lite, or Pan-Generating Pre-heater for No. 463G Water Heater.....	6	3.90	5.85
462-424	Coils and Manifold only, for use on No. 463G Water Heater.....	6½	3.90	5.85
463G	Water Heater with No. 463-399 Burner, 3-Gal. Size Tank, Pump and Wire.....	46½	16.50	24.75
457-199	Tank, (3-Gal.) with Instant-Gas Carburetor Valve, Pump and 4 ft. Fuel Wire.....	11½	5.95	8.85
465-199	Tank, (5-Gal.) with Instant-Gas Carburetor Valve, Pump and 4 ft. Fuel Wire.....	13	7.30	10.95
653D	Tank, (10-Gal.) and Pump.....	21	7.90	11.85
1	Filtering Funnel.....		.80	1.20
	Pad for No. 1 Filtering Funnel.....		.24	.36
0	Filtering Funnel.....		.32	.48
	Pad for No. 0 Filtering Funnel.....		.10	.15

Dealers' Net Price Schedule on

Coleman Electrical Appliances

EFFECTIVE JANUARY 1, 1940

Subject to Change Without Notice

No.	NAME OF APPLIANCE	Shipping Weight Pounds	Finish	DEALER PRICE		Standard Retail Price
				Assorted Lots of Six	Less than Lots of Six	
36	Iron, Non-Automatic.....	6½	Chrome	\$2.97	\$3.30	\$ 4.95
38	Iron, Automatic 1000 Watt.....	7	Chrome	4.17	4.60	6.95
40	Iron, Automatic Streamlined, 800 Watt.....	6	Chrome	4.77	5.30	7.95
41	Iron, Automatic Streamlined, 1100 Watt.....	6	Chrome	5.37	6.00	8.95
38-64	Cord Sets, Fits all Irons, 7' Length.....	2½ Carton of 6	-----	Doz. 6.30	Ea. .55	-----
39-64	Special Cord Sets, 6 Foot Length.....	5½ Carton of 12	-----	Doz. 4.50	Ea. .40	-----
P333	Appliance Plug.....	-----	-----	-----	.20	.30

Coleman Lighting Fixtures

For Use With Liquefied Hydrocarbon Gases

(Not for Use With Gasoline)

DESIGNED FOR UNIVERSAL USE:

These fixtures can be used with high or low pressure propane and butane gases. The interchangeable gas tips make it possible to use the same fixture for either high or low line pressure. A scientifically constructed burner eliminates the use of a generator. The double air intake insures a correct mixture of air and gas at all times. Installation is simple and easy.
(A set of three gas tips for various gases and pressures is supplied with each fixture).

DESCRIPTION (All Fixtures Equipped With Standard Globe)	Shipping Weight Pounds	Dealer Price Each
Model No. 890 Bracket Fixture.....	5	\$3.95
Model No. 891 Single Drop Fixture.....	6½	\$4.95
Model No. 892 Double Drop Fixture.....	12	\$7.95

ACCESSORIES: NOTE: No Mantles are packed with fixtures. Order Mantles No. 851-40 for line pressure of less than one pound and Mantle No. 21A for line pressure greater than one pound.

No. 21A Mantle (For Line Pressure Greater Than One Pound).....	Gross 24 oz.	Gross \$6.95
No. 851-40 Mantle (For Line Pressure Less Than One Pound).....	Dozen 16 oz.	Dozen \$1.80
No. 890-130 Standard Glass Globe.....	1 lb.	Each .70
No. 891-130 Pyrex Glass Globe.....	1 lb.	Each \$1.20